

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1886.

And also to Transactions, 1886 (marked TRANS.); and to such papers as appeared in Abstract of Proceedings but not in Transactions (marked PROC.).

A.

- Abney, W. de W., comparative effect of different parts of the spectrum on silver salts, 749.
- Abraham, J. L. H., phenylsulphonic anhydride, TRANS., 692.
- Ackroyd, W., cohesion and cohesion figures, 971.
- Adam, P., action of organic chlorides on diphenyl, 1033.
- Adams, M. A., new method for the analysis of milk, 583.
- Adrian, piliganine, 816.
- Ahrens, F., derivatives of terephthalic acid, 801.
- Allain le Canu. See Le Canu.
- Albitzky, A., and V. Nikolsky, non-volatile product of the oxidation of the hydrocarbon $C_{12}H_{20}$, 141.
- Alekshine, melezitose, 683.
- Alen, J. E., α -azoxynaphthalene- α -sulphonic acid, 555.
- Alessi, A., dibromoparahydroxybenzoic acid, 65.
- Alexéeff, P., nitro-compounds of the fatty series, 999.
- Alexéeff, W., catalytic action of glass, 591.
- heat of combustion of coal, 757.
- solution, 847.
- source of error in vapour-density determinations, 116.
- Alibegoff, G., quantitative separation of uranium from the alkalis and alkaline earths, 922.
- uranium compounds, 855.
- Allen, A. H., determination of glycerol in fatty oils, 581.
- new applications of the nitrometer, 278.
- Allen, A. H., Reichert's method of examining butter-fat, 583.
- Allen, C. R. See Nichols.
- Amagat, E. H., atomic volume of oxygen, 662.
- Amsel, H., and A. W. Hofmann, amidobenzylamine, 698.
- Andouard, A., butter analysis, 283.
- André, G., action of ammonia on chloroform, 521.
- action of water and ammonia on methylene chloride, 861.
- combination of acetamide with metallic chlorides, 337.
- André, G. See also Berthelot.
- Andreasch, R., sulphochloroacetic acid, 786.
- thiohydantoïn and its derivatives, 226.
- Andrée, A., testing balsam of Peru, 181.
- Andresen, M., safranine and methylene-blue, 1026.
- Andrews, C. W. See Norton.
- Andrieu, L., chromatometer, 1070.
- Anschütz, R., ethoxalic chloride, 1011.
- Anschütz, R., and P. N. Evans, chlorides of antimony, TRANS., 708.
- Anschütz, R., and F. Heusler, partial amidation of polynitrated aromatic compounds, 1021.
- Anschütz, R., and J. W. Leather, pipitzahoic acid, TRANS., 709.
- Anschütz, R., and E. Römig, action of nitric acid on unsymmetrical diphenylethane, 1033.
- Anschütz, R., and F. Schönfeld, ethereal hydrogen oxalates: action of phosphoric chloride on ethereal oxalates, 785.
- Arloing, S., zymotic properties of certain virus, 170.

Armsby, H. P., digestion experiments, 380.

Armstrong, H. E., action of metals on acids, *Proc.*, 189.

— correlation of electrolytic conduction and molecular composition, 754.

— theory of the interaction of carbon monoxide, water, and oxygen gases, *Trans.*, 112.

— use of the electric light to influence chemical change, *Proc.*, 182.

Armstrong, H. E., and A. K. Miller, products of the manufacture of gas from petroleum, *Trans.*, 74.

Armstrong, H. E., and W. F. Streatfield, action of bromine on β -naphtholsulphonic acid, *Proc.*, 232.

Armstrong, H. E., and S. Williamson, α -nitro-, α -bromo-, and α -chloronaphthalenesulphonic acids, *Proc.*, 233.

Armstrong, H. E., and W. P. Wynne, action of chlorosulphonic acid on naphthalene α - and β -sulphonic acids, *Proc.*, 230.

Arnaud, A., carotene, 711.

— cholesterol in the carrot, 830.

Arnell, K., action of sulphuric acid on β -chloronaphthalene, 555.

Arth, G., menthol-derivatives, 892.

— urethanes of the paraffin series, 692.

Arzruni, A., granite rocks of the Ural, 995.

— minerals from Bolivia, 514.

Aschan, K. A., action of hydrogen phosphide on mercury salts, 423.

Aschan, O., action of alkali thiocyanates on phthalic acid, 704.

— para- and ortho-nitroxanilic acids, 147.

— phthalamic acid, 705.

Aston, Miss E., and S. U. Pickering, multiple sulphates, *Trans.*, 123.

Athanasesco, crystallised basic sulphates, 981.

Atkinson, R. W., volumetric method for estimating alumina, 282.

Atterberg, A., Swedish method of testing for arsenic, 100.

Aubin, E. See Muntz.

Audoynaud, A., adulteration of olive oil, 182.

Austin, P. T., and F. S. Smith, dinitrophenyl thiocyanate, 693.

Auwers, K., pseudocumenol and pseudocumidine, 143.

Axenfeld, D., an albumin reaction, 183.

Ayrton, W. E., and J. Perry, seat of the electromotive force in a voltaic cell, 750.

B.

B. (E.), titration of soda in presence of aluminium, vanadium, and tungsten, 650.

— determination of alumina in aluminates, 651.

Babánek, F., the fahlerz of Przibram, 514.

Bach, E. See Leuckart.

Bärwald, C., molybdenum-derivatives, 17.

Baessler, P., assimilation of asparagine by plants, 1061.

Baeyer, A., condensation-product of pyrroline with acetone, 1043.

— ethyl succinosuccinate, 445.

— melting point of phloroglucinol, 1020.

— polymerisation of propargylic acid, 1009.

— synthesis of ethyl acetotacetate and of phloroglucinol, 223.

— trioxime of phloroglucinol, 350.

Baeyer, A., and M. J. Lazarus, condensation products of isatin, 154.

Bailey, G. H., analysis of koppite, *Trans.*, 153.

— apparatus for the determination of the temperature of the decomposition of salts, *Proc.*, 205.

— separation and estimation of zirconium, *Trans.*, 149, 481.

Baker, R. W., beryl from Amelia Co., Virginia, 127.

Balbiano, L., camphophenylhydrazine, 72.

— derivatives of camphor, 808.

Balland, alkaloids in old flour, 164.

Bamberger, E., behaviour of anisoils at high temperatures, 872.

Bamberger, E., and A. Calman, mixed azo-compounds, 62.

Bamberger, E., and M. Philip, pyrene, 718, 948.

Bandrowski, E. v., oxidation of diphenylamine, 1023.

Barbier, P., and L. Roux, action of heat on ketones, 865.

Bardet, G. See Beaumetz.

Bardwell, F. L., action of isobutyric acid on aniline, 52.

Barillé, A., thermomineral waters of Hamman el Lif, Tunis, 323.

Barlow, J. J., estimation of manganese and iron by means of hydrogen peroxide, 393.

Barnes, J., titanate acid as a mordant, 292.

Barr, A., behaviour of aromatic carbamides at high temperatures, 876.

- Bartoli, A., electrical conductivity of carbon compounds, 191.
 — electrical conductivity of mixtures of organic compounds, 191.
 Bartoli, A., and G. Papasogli, incomplete oxidation of mellogen, 469.
 — oxidation of various forms of carbon, 202.
 — products of the oxidation of carbon in the electrolysis of aqueous ammonia, 406.
 Bartoli, A., and E. Stracciati, physical properties of paraffins from Pennsylvania petroleum, 215.
 Barzilovsky, T., reaction of benzaldehyde with azobenzene, 148.
 Basset, H., preparation of trichloromethylsulphonic chloride, 1000.
 — reaction of tin with sulphuric and nitric acids, 599.
 Baubigny, H., conversion of amides into amines, 1006.
 Bauer, A., and K. Hazura, linoleic acid, 868.
 Bauer, H. See Staedel.
 Bauer, M., pseudomorphs of calcite after arragonite, 431.
 Bauer, R. W., arabonic acid and lichenin sugar, 869.
 Baum, J., oxidation products of conine, 562.
 Baumann, E., aromatic compounds in urine and putrefaction in the intestines, 384.
 Baumann, E. See also Escalles.
 Baumhauer, H., artificial twin crystals of potassium sulphate and chromate, 17.
 — boracite, 24.
 — variegated copper ore from New Mexico, 22.
 Bayer, K. J., determination of alumina, 281.
 — determination of alumina by titration, 651.
 Bayley, T., analysis of alloys and minerals containing the heavy metals, selenium, tellurium, &c., *TRANS.*, 735.
 — error in the nitrometric analysis of sulphuric acid, 833.
 — reduction of ferric nitrate in the nitrometer, 1072.
 Beaumetz, D., and G. Bardet, hypnotic properties of phenyl methyl ketone, 169.
 Beck, P. See Will.
 Becke, F., parallel growth of tetrahedrite and zinc blende, 207.
 — zinc blende, 207.
 Becker, A., fusibility of calcium carbonate, 676.
 Becker, G. F., new law of thermochemistry, 498.
 Beckmann, E., detection of atropine, 955.
 — isonitroso-derivatives, 618.
 — preparation of mercury fulminate, 606.
 Beckurts, H., estimation of phenol as tribromophenol, 1081.
 — estimation of phenol in "liquid carboic acid," 1081.
 — potassium nitrate and chlorate, 664.
 — volatile constituents of ranunculaceous plants, 365.
 Beckurts, H., and W. Freytag, violet coloration of starch caused by iodine chloride and bromide, 783.
 Beckurts, H., and W. Rougemont, testing nitric acid, &c., for iodine and iodic acid, 834.
 Becquerel, H., relation between the absorption and the phosphorescence of uranium compounds, 159.
 Beebe, A. L., reduction of ferric solutions by means of amalgamated zinc and platinum foil, 836.
 Beet, W. v., dry electric batteries, 3.
 Béhal, A., detection of nitrates and chlorates, 392.
 Béhal, A. M., ketone from ænanthylidene, 45.
 Behla, G., chlor- and brom-anthracene-carboxylic acids, 248.
 Behrend, R., compounds of the uric acid series, 338.
 — condensation of members of the carbamide group with ethyl acetate, 443.
 Behrend, T. H., microscopic analysis of minerals, 917.
 Beilby, G., new form of gas thermometer, 116.
 Bein, S., indirect estimation of fluorine, 918.
 Bell, L., optical properties of malic and tartaric acids, 1.
 — ultra-violet spectrum of cadmium, 957.
 Bell, W. H., new locality for zoisite, 319.
 Bellenot, G. See Perkin.
 Bellman, T. See Meyer.
 Benckiser, T. See Nietzki.
 Bender, C. J., erythroxyton alkaloids, 85.
 Benedikt, R. See Hazura.
 Ben Saude, A., doubly refracting crystals of sodium chloride and potassium chloride, 206.
 Bensemann, estimation of glycerol in wine, 1080.

- Berend, L., dimethylquinolines, 260.
 Berg, A. See Klein.
 Berglund, E., proportion of bromine in sea-water, 134.
 Berlinerblau, J., homologue of rhodanic acid, 326.
 Bernthsen, A., base isomeric with benzidine, 471.
 — methylene-blue group, 53.
 Bernthsen, A., and A. Osann, crystallography of acridine-derivatives, 471.
 Bernthsen, A., and A. Semper, juglone, 363.
 Berthelot, absorption of free nitrogen from the atmosphere by argillaceous soils, 175.
 — acids of the benzene series, 8.
 — antimony sulphide, 512.
 — antimony sulphide and its decomposition by hydrochloric acid, 308.
 — decomposition of ammonium salts by metallic oxides, 770.
 — isomerism in the benzene series, 7.
 — organic carbon in soils which absorb free nitrogen, 736.
 — phenols, 6.
 Berthelot and André, ammonia in soils, 832.
 — displacement of ammonia by alkaline bases, 1074.
 — estimation of ammonia in soils, 739, 740.
 — formation of oxalic acid in vegetation, 734.
 — nitrogen compounds in rain-water, 737.
 Berthelot and Vieille, heats of combustion and formation of carbohydrates, 757.
 — heats of combustion and formation of solid hydrocarbons, 756.
 Bertoni, G., ethereal salts of nitrous acid, 217.
 — etherification, 975.
 Bertrand, E., hæmaßbrite and hæmatolite, 601.
 Bertrand, optical properties of berzelite, 127.
 Berwerth, F., amphiboles, 28.
 Bevan, E. J. See Cross.
 Beyer, C., action of acetone on aniline, 145.
 — 2':4' dimethylquinoline, 629.
 Biard, L. See Pellet.
 Bichat, E., decomposition of optically inactive compounds, 446, 612.
 Bidet, A., preparation of oxygen, 418.
 Bidwell, S., sensitiveness to light of selenium and sulphur cells, 2.
 Biedermann, A., thiophenaldhyde, 870.
 — β -thiophenaldhyde and β -thiényl alcohol, 536.
 — thiophenol and the α -naphthol of the thiophen series, 787.
 Biedermann, A., and P. Jacobson, thiopten, 1032.
 Bieler, H., jun., manuring oats with Thomas slag, 391.
 Bignon, A., cocaine and its benzoate, 951.
 — coca leaves, 388.
 Billeter, O., and A. Steiner, toluylene thiocyanate, 234.
 Bird, M., chlorite from Albemarle Co., Virginia, 130.
 Biscaro, C. See Spica.
 Bischoff, C. A., β -benzoisosuccinic acid, 355.
 Bischoff, C. A., and C. Rach, hydroxypyrocinchonic acid, 1012.
 Bizzari, D., and G. Campani, native arsenic of Valtellina, 206.
 Bladin, J. A., derivatives of dicyanophenylhydrazine, 146.
 Bladin, J. A. See also Widman.
 Blake, J., physiological action of lithium, potassium, and rubidium salts, 385.
 Blake, W. P., meteorite from Green Co., Tennessee, 433.
 Blarez, C., absolute acidity of animal fluids, 1057.
 — volumetric estimation of sulphurous acid, 918.
 Blarez, C., and G. Denigés, distinguishing coal-tar colours from the natural colouring matter of wine, 1084.
 Blattner, G., reaction of ammonium and sodium sulphates, 107.
 Blau, F. See Weidel.
 Block, J., and B. Tollens, methylhydroxyglutaric acid and the corresponding lactonic acid, 533.
 Blomstrand, C. W., the Hainstadt clays, 678.
 Blondlot, R., transference of copper across a stratum of gas; combination of nitrogen with copper, 422.
 Bloxam, A. G., action of carbonic oxide on lead and silver chlorides, 17.
 — solubility of sulphur in alcohol, 593.
 Bloxam, C. L., chromic phosphate, 17.
 — detection of calcium in presence of strontium, 920.
 — ferrates: a lecture experiment, 848.
 Bloxam, W. P., and E. F. Herroun, iodaldehyde, 864, 1006.

- Blümcke, A., modification of Bunsen's ice calorimeter, 5.
- Blum, L., estimation of silicon in iron, 835.
- Blundstone, E. R., glycogen in the connective tissue of molluscs, 569.
- Blunt, T. P., sp. gr. of crystalline strychnine, 1047.
- Blyth, A. W., studies of disinfectants by new methods, 573.
- Boas, J. See Ewald.
- Bodländer, G., and J. Traube, distinction between albuminoids, gelatin, and peptones by the capillarmetric method, 1087.
- Bodmer, R. See Stokes.
- Böhmer, C. See König.
- Böhmer, J. See König.
- Börnstein, E., oxidation of glycerol in alkaline solution, 327.
- Börnstein, E., and A. Herzfeld, oxidation of levulose, 328.
- Börnstein, E. See also Herzfeld.
- Boessneck, P., acetorthotoluylenediamine and acetazimidotoluene, 874.
- condensation of chloral hydrate with tertiary amines, 458.
- Böttiger, C., Böttiger's pyridine-dicarboxylic acid, 368.
- Bohlig, E., examination of beer and a method for determining alcohol, 493.
- quantitative evaporation of liquids in the spheroidal state, 647.
- volumetric estimation of chlorine, 178.
- Bohr, C., deviation of oxygen at low pressures from Boyle's law, 591.
- Boisbaudran, L. de, dysprosium, 667.
- equivalent of terbia, 424, 507.
- fluorescence spectra of $Z\alpha$ and $Z\beta$, 666.
- fluorescence spectrum of yttrium, 838.
- gadolinium, the $Y\alpha$ of Marignac, 667.
- holmium, or Soret's X, 667.
- identity of the reversal spectrum of $Z\beta$ with Crookes's fluorescence spectrum, 958.
- mosandrium, 507.
- peculiar electric spectrum of rare earths of the terbia group, 293.
- spectrum and atomic weight of germanium, 768.
- use of potassium sulphate in the fractionation of rare earths, 424.
- Bolton, H. C., potassium and sodium peroxides, 768.
- Boltzmann, L., calculation of corrections of Bunsen's ice calorimeter, 409.
- the equations employed by Pebal in his investigation of euchlorine, 418.
- Bondzynski, S. See Ginsburg.
- Bongartz, J., compounds of aldehydic ketones and ketonic acids with thioglycollic and thiacetic acids, 937.
- ethenyl trisulphide, 1000.
- Bonnier, G., development and absorption of heat by plants, 483.
- Bonnier, G., and L. Mangin, activity of chlorophyll under the influence of the ultra-violet rays, 387.
- Borggreve, B., and Hornberger, analysis of bilberries, 953.
- Borgmann, O., benzyl-compounds, 56.
- Bornemann, E., action of hydroxylamine on cinnamaldehyde hydrocyanide, 799.
- synthesis of quinoline, 1045.
- Bornträger, A., determination of tartaric acid in wine and tartar, 1082.
- Witt's filtering apparatus, 917.
- Borrella, G., anisates, 65.
- Bosshard, E. See Schulze.
- Bouchardat, G., and J. Lafont, action of acetic acid on terebenthene, 475.
- conversion of terebenthene into an active terpene, 364.
- monohydric alcohols from terebenthene, 475.
- synthesis of an inactive borneol, 364.
- synthesis of an inactive terpenol, 890.
- Bougaieff. See Wolkoff.
- Bourbouze, an aluminium alloy, 772.
- Bourgeois, C. See Spring.
- Bourgeois, L., artificial preparation of rhodonite, 214.
- barium and strontium titanates, 985.
- Bourquelot, E., composition and fermentation of invert sugar, 169.
- preparation of galactose, 328.
- Boutet, J. F., mineral waters of St. Nectaire, 858.
- potable water at Royat, 859.
- Boutroux, acid fermentation of glucose, 682.
- Bouty, E., electrical conductivity of aqueous solutions of potassium chloride, 653.
- electrical conductivity of mixtures of salts, 839.
- electrical conductivity of saline solutions of mean concentration, 753.
- Brackelsberg, A., behaviour of phosphorus with iron and slags, 426.
- Bradley, W. P., 3-thienylglyoxylic acid and its derivatives, 1014.

- Braithwaite, J. O., and E. Farr, fruit of *Daphnidium cubeba*, 1064.
- Brame, C., genesis of sulphur crystals in square tables, 16.
- Brasse, L., accumulation of sugar in the root of the sugar-beet, 1063.
- solution of starch in leaves, 827.
- Brauns, R., manganite from Oberstein, 675.
- Bréal, E., microscopic fresh water algæ, 1060.
- Bredt, J., breaking up of the lactone ring by means of alcohol and halogen-hydro-acids, 531.
- camphoronic acid, 156.
- Bremer, G. J. W., decomposition of malic acid obtained from fumaric acid, 48.
- Bréon, R., analyses of minerals from the basalt of Iceland, 602.
- crystallographic association of triclinc feldspars, 992.
- Brezina, A., uranothallite, 24.
- Briant, L., estimation of magnesia as ammonium magnesium phosphate, 490.
- Brierley, J. T., the electrolytic preparation of vanadious sulphate, *TRANS.*, 822.
- new vanadium compounds, *TRANS.*, 30.
- Broadbent, F. V. See Wiley.
- Brockema, L., and A. Mayer, comparison of ensilage with hay as fodder, 737.
- Brögger, W. C., crystals of thorium, 427.
- minerals of the pegmatite vein at Moss, 27.
- two new Norwegian minerals, 34.
- Brothers, H. E. See Smith.
- Brown, A. J., acetic ferment which forms cellulose, *TRANS.*, 432.
- chemical action of pure cultivations of *Bacterium aceti*, *TRANS.*, 172.
- Brown, C., manuring of turnips, 1068.
- Brown, H. T., maltodextrin, 438.
- Brown, T., failure of ammonium sulphate as a manure, 646.
- Browne, G. M. See Michael.
- Brücke, E., alkophyr and biuret, 338.
- Brunner, H., and E. Chuard, phytochemical studies, 576.
- Brunner, P., diundecylenic acid, 1011.
- Brunner, P. See also Skraup.
- Buch, K. See Zega.
- Buchanan, J., thermoelectric position of carbon, 295.
- Buchner, E., and T. Curtius, gelatin, 635.
- Buchner, G., mercurous sulphate, 852.
- Bütschli, O., presence of glycogen in the Protozoa, 87.
- Bufalini, formation of iodohæmin as a method for detecting blood stains, 184.
- Buisine, A., composition of suint, 902.
- Bungener, H., asparagine in hops, 387.
- bitter principle of the hop, 809.
- Burckhardt, R., fluoresceins from malic acid, 51.
- Burton, C. I. See Japp.

C.

- Cahn, A., gastric digestion during deprivation of chlorine, 1052.
- gastric juice in acute phosphorus poisoning, 1053.
- Cahn, E. L., dimethylantrachrysone, 556.
- Cailletet, L., and Mathias, density of liquefied gases and their saturated vapours, 758.
- Caldwell, G. C., and S. W. Parr, determination of fat in milk, 283.
- Calman, A. See Bamberger and Perkin.
- Calmels, G. See Hardy.
- Campani, G. See Bizzarri.
- Cannizzaro, S., constitution of santonin, 73.
- Canu. See Le Canu.
- Capus, G., migrations of nitrates in plant tissues, 484.
- Carotte, H., oxidation of fatty acids, 611.
- oxidation of sebacic acid, 335.
- Charles, P., phosphatic urines supposed to be albuminous, 384.
- sulphoconjugate colouring matters in wines, 105.
- testing essential oils, 394.
- Carmichael, H., copper reduction test for the estimation of arsenic, 1074.
- Carnelley, T., the periodic law, 503.
- Carnelley, T., and J. Schieselman, amidodiphenylsulphonic acid and azo-dyes from diphenyl, *TRANS.*, 380.
- Carnot, A., separation and estimation of copper, cadmium, and zinc; of nickel and cobalt; and of manganese and iron, 650.
- separation of copper, cadmium, zinc, nickel, &c., 580.
- separation of antimony and tin, 1077.
- separation of arsenic, antimony, and tin, 1078.
- Carter, O. C. S., detection of adulterations in oils, 103.

- Cassel, H. R., electrolytic extraction of gold, 109.
- Castaing, A., extraction of cocaine, 371.
- Cathrein, A., alterations of garnets in the amphibole schists of the Tyrol, 29.
- alteration-pseudomorphs of scapolite after garnet, 129.
- magnetite from Scalotta, 928.
- Causse, action of copper on aqueous solutions of sulphurous anhydride, 423.
- Cause, H., combination of chloral with resorcinol, 1020.
- Cavazzi, A., explosive mixture, 980.
- preparation of cuprous chloride, 771.
- reduction of sulphurous acid by hydrogen phosphide, 978.
- Cazeneuve, P., nitro-camphor and its derivatives, 1039.
- use of metallic oxides for the detection of coal-tar colours in wine, 397.
- Cazeneuve, P., and R. Lépine, physiological action of rosaniline sulphate and safranine, 272.
- — — toxic effect of three coal-tar yellows, 273.
- Cesáro, G., rhichellite, 127.
- Chabrié, C., fluosilicates of aluminium and glucinum, 981.
- Chappuis, J., and C. Rivière, refraction of carbonic anhydride and cyanogen, 837.
- Chappuis, J. See also Vincent.
- Chase, R. L., ethylorthotoluidines, 57.
- Chatelier. See Le Chatelier.
- Chautard, P., detection of acetone in pathological liquids, 495.
- iodaldehyde, 330, 1006.
- Chautard, P. See De Clermont.
- Chéhoukoff, M., action of hydriodic acid on isobutylene, 680.
- Chevalier, J., chemical composition of nerve substance, 385.
- Chibret and Izarn, detection of alkaloids in urine by means of iodine, 748.
- Chittenden, R. H., and H. E. Smith, diastatic action of saliva, 638.
- Chittenden, R. H. See also Kühne.
- Chludinsky, W., composition of long wool and merino fleeces, 105.
- Christ, A. See Claus.
- Christensen, O. T., chemistry of manganese and fluorine, 854.
- Chroustehoff, K. de, porphyritic hyperite from California, 780.
- new type of pyroxene, 776, 990.
- Chuard, E. See Brunner.
- Church, A. H., a chemical study of vegetable albinism, experiments with *Quercus rubra*, TRANS., 839.
- Church, A. H., mahwa flowers, 389.
- Ciamician, G., constitution of pyrroline, 626.
- formation of quinol, 695.
- transformation of pyrroline into pyridine, 810.
- Ciamician, G., and M. Dennstedt, action of potash on boiling pyrroline, 367.
- Ciamician, G., and P. Magnaghi, action of phosphoric chloride on alloxan, 226.
- — — condensation products of pyrroline with alloxan, 367.
- — — pyrrolylene, 521.
- Ciamician, G., and P. Silber, action of acetic anhydride on homopyrroline, 719.
- — — action of alloxan on pyrroline, 897.
- — — nitro-compounds of the pyrroline series, 718.
- — — pyrrolynedimethyl ketone, 74.
- — — disubstituted derivatives of pyrroline and their constitution, 938.
- Claassen, E., vanadium compounds, 428.
- Clark, J., estimation of sulphur in pyrites, 279.
- Clark, J. W., electrolytic decomposition, 294.
- Clarke, F. W., minerals from Litchfield, Maine, 677.
- Clarke, F. W., and J. S. Diller, topaz from Stoneham, Maine, 213.
- Classen, A., and R. Ludwig, quantitative analysis by electrolysis, 493.
- Claus, A., aromatic methyl ketones and their oxidation products, 462.
- chloriated α -naphthaquinones, 714.
- formation of propylene from glycerol, 136.
- Claus, A., and A. Christ, bromoparacymenesulphonic acid, 1032.
- Claus, A., and Claussen, metapara-dimethylphenyl methyl ketone, 463.
- Claus, A., and Cropp, methylpropylphenyl methyl ketone, 463.
- Claus, A., and Gärtner, metaxylyl methyl ketone, 463.
- Claus, A., and R. Hoch, action of phosphoric chloride on phthalic anhydride, 705.
- Claus, A., and M. Knyrim, α -naphthol- β -sulphonic acid, 156.
- Claus, A., and P. Kuttner, quinoline-orthosulphonic acid, 628.
- Claus, A., and H. Mareklin, reaction

- of aluminium chloride with hydroxyl compounds, 143.
- Claus, A., and P. Mielcke, α -naphthol di- and tri-sulphonic acids, 716.
- Claus, A., and P. F. Muller, β -dichloronaphthaquinone; constitution of ϵ -dichloronaphthalene, 247.
- Claus, A., and C. Nicolaysen, phenyl-acridine, 68.
- Claus, A., and Riedel, paratolyl methyl ketone, 462.
- Claus, A., and L. Scherbel, additive products of amarine-silver; derivatives of amarine, 237.
- Claus, A., and E. Schmidt, nitration products of metaxylenesulphonic acid, 708.
- Claus, A., and H. Schweitzer, chlororesols and toluquinones, 614.
- Claus, A., and P. Stegelitz, quinolineparasulphonic acid, 628.
- Claus, A., and O. Volz, 2:3 naphthol-sulphonic acid, 246.
- Claus, A., and C. Wenzlik, β -heptachloronaphthalene and β -pentachloronaphthalene, 713.
- Claussen. See Claus.
- Clerk, D., explosion of homogeneous gaseous mixtures, 761.
- Clermont, A., trichloroacetic acid, 222.
- Clermont. See De Clermont.
- Cléve, P. T., action of benzaldehyde on hydrazobenzene, 545.
- nitronaphthalenesulphonic acid, 1037.
- Cloizeaux. See Des Cloizeaux.
- Clowes, F., barium sulphate as a cementing material in sandstone, 35.
- Coleman, J. J., air or hydrogen thermometer for low temperatures, 116.
- Collie, N. See Letts.
- Collins, J. H., Cornish tinstones and tin capels, 988.
- Coloriano, basic cupric arsenate, 771.
- crystallised arsenates, 771.
- staurotide, 319.
- two new nickel arsenates, 508.
- Colson, A., derivatives of hexamethylbenzene and durene, 1016.
- relations between chemistry and physics, 961.
- Colson, A., and H. Gautier, action of phosphoric chloride on hydrocarbons, 679.
- new method of chlorination, 231.
- xylene-derivatives, 613.
- Combemale. See Mairet.
- Conineck, O. de, alkaloïds, 476, 897.
- colouring matters derived from quinoline bases, 82.
- Conineck, O. de, pyridine alkaloïds, 476.
- Conrad, M., and M. Guthzeit, action of carbonyl chloride on ethyl cupracetoacetate, 333.
- action of ethyl chlorolevulinate on ethyl sodomalonate, 336.
- decomposition of lactose and arabinose by dilute acids, 138.
- Coppola, T., pyridine-choline, pyridine-neurine, and pyridine-muscarine, 78.
- Corleis, E., sulphur compounds of tungsten, 510.
- Cornelius, H., and B. Homolka, hydrazoïnes, 1026.
- Cornelius, H., and H. v. Pechmann, synthesis of orcinol from ethyl acetonedicarboxylate, 802.
- Cossa, A., cerium molybdate, 772.
- didymium and cerium tungstates and molybdates, 981.
- idocrase, 601.
- Cossa, A., and G. La Valle, crystallised hydrated barium silicate, 594.
- Coste. See La Coste.
- Courant, E., and V. v. Richter, preparation of alkyl disulphides, 217.
- Coutts, J. F. H. See Smith.
- Cowles, E. H., A. H. Cowles, and C. F. Mabery, the electrical furnace and reduction of oxides, 401.
- Cownley, A. J., cinchonidine in commercial quinine sulphate, 632.
- Crafts, J. M. See Friedel.
- Crampton, C. A. See Richardson.
- Creydt, R., and B. Tollens, estimation of raffinose in mixtures, 582.
- Crookes, W., chemical fractionation, 974.
- spectra of erbia, 749.
- the earth Y₂, 506.
- yttria, 853.
- Cropp. See Claus.
- Cross, C. F., and E. J. Bevan, oxidation of carbohydrates by means of chromic acid, 102.
- Cross, W., topaz and garnet in rhyolite, 991.
- Cross, W., and L. G. Eakins, ptilolite, 990.
- Cross, W. See also Iddings.
- Curtius, T. See Buchner.
- Curtman, detection of nitric acid by means of pyrogallol, 179.
- detection of traces of nitric acid, 648.

D.

Dacomo, G., action of light on iodoform, 1000.

- Dafert, F. W., oxidation of mannitol, 608.
 — varieties of starch, 527.
 Dafert, F. W. See also Kreusler.
 Damien, B. C., electromotive force of currents yielded by metallic couples in saline solutions, 190.
 Darnour, A., andesine from Ardèche, 211.
 — meerschauum, 316.
 — menilite, 775.
 — mimetosite containing lime from Puy-de-Dôme, 210.
 Dana, A. G., gahnite and epidote from Rowe, Massachusetts, 23.
 Dana, E. S., crystallisation of gold, 988.
 — crystallographic study of the thino-lite of Lake Lahontan, 515.
 Dana, E. S., and S. L. Penfield, artificial crystallised lead silicate, 317.
 — hanksite, 315.
 Davidoff, formation of ethyl succinate, 444.
 Day, D. T., changes effected in ethylene by heat, 781.
 De Boisbaudran. See Boisbaudran.
 Dechan, M., carmine, 398.
 — detection and estimation of iodine, bromine, and chlorine, *TRANS.*, 682.
 Dechan, M., and T. Maben, formation of basic salts in the saponification of fats and oils, 186.
 De Chroustchoff. See Chroustchoff.
 De Clermont, P., and P. Chautard, quinol-derivatives of the benzene series, 696.
 De Forcerand, action of barium oxide on methyl alcohol, 861.
 — combination of methyl alcohol with barium oxide, 781.
 — combination of methyl alcohol with cupric sulphate, 524.
 — hydrated barium dioxide, 850.
 — thermochemistry of glyoxylic acid, 297.
 Degener, P., power of certain salts to decompose calcium saccharate, 185.
 De Girard, J., combination of hydrogen phosphide with chloral hydrate, 684.
 Dehérain, P. P., increase of nitrogen in grass land, 276.
 Dehérain and Maquenne, absorption of carbonic anhydride by leaves, 1062.
 — — respiration of leaves in the dark, 170, 273.
 De la Escosura, L., electrolytic estimation of mercury, 650.
 Demant, B., influence of strychnine and curare on the glycogen of the liver and muscle, 1054.
 Demarcay, E., colour reaction of rhodium, 125.
 — spectra of didymium and samarium, 837.
 Demski, H., and J. Morawski, estimation of resin oils in mineral oils, 282.
 Demski, H. See also Morawski.
 Demuth, R., acetyl and carboxyl-derivatives of thiopben, 538.
 — a second thioxylene, 871.
 — methylacetothienone, 228, 871.
 Denaro, A., naphtholazobenzene, 246.
 Denigés, G. See Blarez.
 Dennstedt, M., process for hardening castings in gypsum, 401.
 Dennstedt, M., and J. Zimmermann, action of acetic chloride on pyridine, 368.
 — — action of paraldehyde on pyrroline, 1043.
 — — action of phthalic anhydride on methylpyrrolines, 1044.
 — — conversion of pyrroline into pyridine, 367.
 — — reduction of acetylpyrroline, 1042.
 Dennstedt, M. See also Ciamician.
 Des Cloizeaux, A., crystalline system of cryolite, 430.
 — manganese silicates, 320.
 — oligoclase and andesine, 776.
 — optical properties of albite, 210.
 Deslandres, H., band spectrum of nitrogen, 189.
 — spectrum of nitrogen at the negative pole, 957.
 De Thierry, M., estimation of hydrogen peroxide, 579.
 — new absorption spectroscopy, 113.
 De Vrij, J. E., assay of quinine sulphate, 397.
 Diaconoff, D., heat of combustion of organic substances, 115.
 Diakonow, N. W., activity of fungoid ferments, 1060.
 Didier, P., anhydrous cerium chloride and cerium silicate, 123.
 — cerium tungstates and chlorotungstates, 595.
 Diehl, W., estimation of manganese, 101.
 Dieterich, T., examination of fats and oils, 1083.
 Dietrich, cattle-foods, 1067.
 Dietrich, P., treating raw phosphates, 108.
 Dieulafait, application of thermochemistry to geology, 35.
 — application of thermochemistry to geology: zinc, 132.

- Diller, J. S., peridotite of Elliot Co., Kentucky, 993.
- Diller, J. S. See also Clarke.
- Discalzo, G., thymolphosphoric acid, 52.
- Discalzo, G. See also Mazzara.
- Ditte, A., action of antimony sulphide on potassium sulphide, 309.
- action of hydracids on vanadic acid, 772.
- action of reducing agents on vanadic anhydride, 307.
- action of vanadic acid on ammonium salts, 672.
- action of vanadic anhydride on haloid salts, 855.
- ammonium vanadates, 671.
- antimony sulphide, 429.
- combination of vanadic anhydride with oxy-acids, 599.
- double nitrates of silver and the alkalis, 122.
- vanadic anhydride, 18.
- Dittmar, A., reactions of iodine chloride with alkaloids, 158.
- Ditzler, F., behaviour of morphine with potassium chromate, 1047.
- strychnine chromate, 564.
- Divers, E., and T. Shimidzu, mercury sulphites and the constitution of sulphites, *TRANS.*, 533.
- Dixon, H., the combustion of carbonic oxide and hydrogen, *TRANS.*, 94.
- the combustion of cyanogen, *TRANS.*, 384.
- Dobbin, L., and O. Masson, action of halogens on tetramethylammonium salts, *TRANS.*, 846.
- Doebner, O., and W. v. Miller, bye-products of quinaldine, 370.
- derivatives of α -phenylquinoline, 721.
- Döll, E., pseudomorphs, 21.
- Doelter, C., artificial production of sulphides, 207.
- synthetical studies, 517.
- Donath, E., and R. Jeller, determination of ferric oxide in presence of alumina, 1076.
- Donath, J., dehydromorphine (oxydimorphine), 899.
- reactions of morphine, 899.
- Donle, W., thermo-electric relations of electrolytes, 960.
- Doroshenko, S., aromatic hydrocarbons in Caucasian petroleum, 142.
- Dorsch, R., halogen-derivatives of isatoic acid, 359.
- Dott, D. B., morphine lactate, 813.
- solubility of salicin, 366.
- Draper, C. N., insolubility of barium chloride in presence of lithium chloride, 422.
- Drechsel, E., electrolysis of normal caproic acid, 1008.
- a new ingredient of the liver, 636.
- Dreser, H., chemistry of the retinal rods, 375.
- Dreyfus, E. See Griffith.
- Dubois, C., and L. Padé, natural fats, 495.
- Dubourg, E. See Gayon.
- Duclaux, E., butter, 685.
- method of determining the purity of volatile liquids, 322.
- Dürkopf, E., constitution of aldehyde-collidine, 257.
- Dufet, H., crystalline forms of sodium pyrophosphates and hypophosphates, 768.
- Dufet, H. See also Joly.
- Dufour, J., soluble starch and its physiological function in vegetation, 903.
- Duggan, J. R., determination of absolute neutrality, 765.
- determination of diastatic action, 483.
- Dujardin-Beaumetz. See Beaumetz, D.
- Dulk, L., gravitation and atomic weight, 591.
- Du Moulin, copper compounds as poisons, 483.
- Dunstan, W. R., and F. Ransom, estimation of alkaloids in the leaves of *Atropa belladonna*, 105.
- Dupetit, G. See Gayon.
- Dupré, A., estimation of dissolved oxygen in water, 579.
- permanganate test in water analysis, 581.
- Duvillier, E., ethylamidoacetocyclamine, a new creatinine, 1046.
- Dyer, E., determination of iron oxide and alumina in phosphates, 491.

E.

- Eakins, L. G., allanite and gadolinite, 779.
- Eakins, L. G. See Cross.
- Eastes, E. J., and W. H. Ince, analyses of tumbeki, 644.
- Ebell, P., examination of lead dioxide, 742.
- Ebermeyer, E., oxygen in the air of forests, 1066.
- Eckenroth, H., phenol-urea, 946.
- Eder, J. M., connection between ab-

- sorption and photographic sensitive-
ness, 405, 958.
- Eder, J. M., sensitising action of dyes
on silver chloride and bromide,
497.
- Edkins, J. S. See Langley.
- Egoroff, N., absorption spectrum of
oxygen, 189.
- Ehlinger, J. See Flückiger.
- Eiloart, A., absorbents for carbon
bisulphide vapour, 16.
- reactions with carbonic anhydride,
carbon bisulphide, and sulphurous
anhydride, 16.
- reduction of carbonic anhydride by
potassium cyanide, 1000.
- Eiloart, A. See also Johnson.
- Einhorn, A., phenyldihydroquinolyl-
methane, 720.
- quinoline aldehyde, 264.
- quinolyl- α -hydroxypropionic acid,
721.
- trimethylquinoline aldehyde, 264.
- Einhorn, A., and R. Lauch, action
of hypochlorous acid on quinoline-
derivatives, 370.
- Ekstrand, A. G., naphthoic acids,
715, 948.
- nitronaphthoic acids, 155.
- Elbs, K., aromatic ketones, 461.
- naphthanthraquinone and naph-
thanthracene, 1087.
- synthesis of homologues of anthra-
cene, 557.
- Elbs, K., and G. Olberg, disparaxylyl
ketone, 463.
- Elbs, K., and G. Steincke, α -naphthyl
phenyl ketone, 947.
- Elbs, K., and E. Tölle, triphenyl-
acetic acid, 352.
- Eliasberg, S., employment of hydrogen
peroxide in volumetric analysis, 488.
- separation of zinc from cadmium
by electrolysis, 281.
- Ellenberger and V. Hofmeister, the
gastric juice and the histology of
the gastric mucous membrane, 271.
- Ellis, G. E. R., use of soap solution,
1076.
- Emmerling, A., action of nitrous
acid on urea, uric acid, and ammo-
nium sulphate, 747.
- new method of estimating soluble
phosphate, 741.
- Emmerling, A. See also Metger.
- Engel, R., alcoholate of potassium
hydroxide, 979.
- combination of magnesium car-
bonate with potassium hydrogen car-
bonate, 121.
- combination of zinc chloride with
hydrogen chloride, 665.
- Engel, R., compounds of stannic chlo-
ride with hydrogen chloride, 984.
- guanidine thiocyanate, 330.
- hydrates of zinc chloride, 665.
- indicator for weak acids, 486.
- indicators of the relative energies
of polybasic acids, 420.
- influence of ammonium hydrogen
oxalate on the solubility of the
normal salt, 443.
- lead glycolate chloride, 335.
- manganese cyanacetate, 332.
- normal magnesium carbonate, 121.
- production of ozone by the slow
oxidation of phosphorus, 302.
- solubility of calcium carbonate in
water containing carbonic anhydride,
120.
- solubility of cupric sulphate in
presence of ammonium sulphate,
305.
- titration of the acids of phos-
phorus with various indicators, 489.
- variations in the solubility of
chlorides in presence of hydrochloric
acid, 505.
- Engelhardt, H. See Otto.
- Engelmann, F., action of the homo-
logues of acetaldehyde with ammonia
and ethyl acetoacetate, 258.
- Engländer, P. See Levy.
- Engler, C., connection between illu-
minating power, flashing point, and
boiling point of petroleum, 402.
- dust explosions, 404.
- Engler, C., and P. Riehm, action of
acetone on aniline, 235.
- action of acetophenone on
ammonia, 369.
- Epstein, W., condensation of cinnam-
aldehyde with ammonia and ethyl
acetoacetate, 257.
- Erb, L. See Janovsky.
- Erdmann, E., change in colour of
felspar due to the action of light,
27.
- Erdmann, H., benzallevulinic acid, 241.
- nitration of phenylparaconic acid,
67.
- Erlenmeyer, E., isomerism in the
cinnamic acid series, 945.
- Erlenmeyer, E., and J. Rosenhek,
action of hypochlorous acid on quino-
line and substituted quinolines, 569.
- carbostyryl, 244.
- Errera, G., resorcinol-derivatives, 50.
- Escales, R., and E. Baumann,
compounds of phenol mercaptan
with ketonic acids, 878.
- Escosura. See de la Escosura.
- Eugling, W., and L. Mähr, inorganic
constituents of cheese, 290.

- Evans, P. N. See Anschütz.
 Ewald, C. A., and J. Boas, physiology of digestion, 727.
 Ewer and Pick, producing sulpho-colouring matters by electrolysis, 187.
 Exner, K., velocity of light in quartz, 653.
 Eykman, J. F., glucosides from Japanese Oleaceæ, 1040.
 — *illicium religiosum*, 95.
 — poison of the tetrodon, 1049.

F.

- Fabre, C., heats of formation of crystallised and amorphous selenides, 962.
 — heat of formation of hydrogen selenide, 961.
 — heat of transformation of vitreous into metallic selenium, 840.
 — potassium and sodium selenides, 505, 589.
 — selenides of the alkaline earths, 840.
 — thermo-chemistry of selenides, 951.
 Falck, E., products of benzylamidoxime, 797.
 Famintzin, A., and S. Przibyteck, ash of the pollen of *Pinus sylvestris*, 172.
 Farbak, S. See Schenck.
 Farr, E. H. See Braithwaite.
 Farsky, F., sulphuric acid as a manure, 954.
 Fawsitt, C. A., wood naphtha, 289.
 Feer, A., and W. Koenigs, hydroxypyridine, 1044.
 Fenton, H. J. H., detection of bromides, 833.
 — limited hydration of ammonium carbamate, 501.
 Ferko, M. See Wilgerodt.
 Fiala, F., derivatives of methyl ethyl quinol, 454.
 — mixed ethers of quinol, 454.
 Figuier, A., synthesis of ammonium cyanide by the silent discharge, 604.
 — synthesis of hydrocyanic acid, 521.
 Fileti, M., orthoisopropylphenol, 789.
 Fink, J., influence of pressure on the resistance of electrolytes, 586.
 Fischedick, F. H., strychnine citrate, 1047.
 Fischel, W., occurrence of peptone in fibromata of the uterus, 167.
 — occurrence of peptone in hen's eggs during incubation, 166.
 Fischer, B., demercurising gold, 109.
 Fischer, E., isoglucosamine, 933.
 — naphthylhydrazines, 554.
 Fischer, E., synthesis of indole-derivatives, 805.
 Fischer, E., and H. Koch, trimethylene- and ethylene-diamine-derivatives, 527.
 Fischer, F., gas analyses, 107.
 Fischer, H., pectolite from Alaska, 210.
 Fischer, O., flavaniline, 631.
 — reduction of hydrobenzamide, 546.
 Fischer, O., and A. Fränkel, diphenylquinolymethane, 561.
 Fischer, O., and E. v. Gerichten, morphine, 563.
 Fischer, O., and E. Hepp, pyrroline-derivatives, 1041.
 Fischer, W., tension of saturated vapours over liquid and solid substances, 846.
 Fittbogen, J., action of various forms of phosphoric acid, 1069.
 Fittig, R., condensation of acetoacetates with bibasic acids, 47.
 — condensation of aldehydes with bibasic acids, 47.
 — constitution of carbopyrotritartaric acid, 225.
 Fittig, R., and R. Marburg, vinaconic acid, 224.
 Flechsig, E., analysis of varieties of lupins, beans, and maize grown under like conditions, 95.
 Flechsig, E. See also Schulze, Weiske.
 Fleischer, M., use of phosphatic slag from the Thomas process in agriculture, 277.
 Fleischer, M., and others, manuring of high lying moorlands, 578.
 Fleissner. See Lippmann.
 Fletcher, F. W., quinine hydrate, 371.
 Flink, G., a series of diopside varieties from Nordmarken, 777.
 — rhodonite from Långban and Pajsberg, 778.
 — schefferite from Långban and Pajsberg, 778.
 Flückiger, F. A., and J. Ehlinger, santonin estimation, 495.
 Flückiger, M., cocaine and atropine, 632.
 — notes on quinine hydrate, 813.
 — tests for atropine, 397.
 Fock, A. See Tiemann.
 Focke, testing for mineral and resin oils in fatty oils, 581.
 Förstner, H., artificial physical changes in the felspars of Pantelleria, 601.
 Forcrand. See De Forcrand.
 Forel, S. See Nölting.

- Forsling, G., β -naphthylaminesulphonic acid, 890.
- Fossek, W., hydroxyphosphinic acids, 529.
- Foster, E. Le Neve, thiobismuthite of lead and silver, 515.
- Foth, G., nitrotoluidinesulphonic acid, 152.
- Foullon, H. v., antimonite from Czerwenitzka, 22.
- crystallised tin, 124.
- Foussereau, G., decomposition of chlorides in dilute solution, 975.
- decomposition of ferric chloride by water, 844.
- Fox, W., and J. A. Wanklyn, determination of glycerol, 395.
- Fränckel, A. See Fischer.
- Franc, C. A., new method for effecting discharges on fibre dyed with indigo, 291.
- Franchimont, A. P. N., action of nitric acid on substituted malonic acids, 533.
- amides and their nitro-derivatives, 448.
- Frankhauser, J., what is diastase? 1061.
- Frankland, P. F., removal of micro-organisms from water, 573.
- Frerichs, E., formation of hydrochloric acid in the stomach, 639.
- Fresenius, R., determination of arsenic and boric acids in mineral waters, 649.
- new reaction of titanite acid, 181.
- separation of gold and platinum from tin, antimony, and arsenic, 651.
- Fresenius, R., and E. Hintz, estimation of tin in hardhead, 180.
- Freytag, W. See Beckurts.
- Friedel, C., and J. M. Crafts, separation of mixtures of hydrocarbons of the benzene series, 229.
- Friedheim, C., estimation of sulphur, 739.
- Friedl, W., staurolite, 32.
- Fries, H. H., cyanuric chloride and other cyanuric derivatives, TRANS., 739.
- cyanuric derivatives, TRANS., 314.
- Friswell, R. J., and A. G. Green, constitution of diazobenzeneanilide and its relation to amidoazobenzene, TRANS., 746.
- Fritts, C. E., selenium battery, 107.
- hyponitric acids on unsaturated compounds, 620.
- Gabriel, S., derivatives of isoquinoline, 266.
- phenylisoquinoline, 630.
- synthesis of isoquinoline, 812.
- Gabriel, S., and M. Koppe, phenylnitromethane, 693.
- Gadd, M. See Hjelt.
- Gärtner. See Claus.
- Gallinek, A., and V. v. Richter, sulphonation of phenylhydrazines, 236.
- Garnier, L., action of the pulmonary tissue in the expiration of carbonic anhydride, 1052.
- arsenic in bleaching powder and in potassium chlorate, 99.
- Gartenmeister, R., boiling points and sp. vols. of ethereal salts of normal fatty acids, 966.
- Garzarolli-Thurnlackh, K., and G. Schacherl, chlorine monoxide, 118.
- Gatellier, E., growth of wheat after sugar-beet and after potatoes, 906.
- Gattermann, L., action of halogenated amines on phenylcarbimide, 795.
- α - and β -thiënone, 228.
- Gattermann, L., and A. Kaiser, constitution of quinoline-derivatives from meta-substituted amines, 79.
- parachlorometanitro-toluene and its reduction products, 49.
- Gattermann, L., A. Kaiser, and V. Meyer, constitutional formula of thiophen, 227.
- Gattermann, L., and M. Römer, action of acetic chloride on halogen-derivatives of thiophen, 537.
- Gattermann, L., and E. Wrampelmeyer, para- and meta-phenylene cyanate, 50.
- Gautier, A., ptomaines and leucomaines, 634.
- Gautier, H., action of chlorine on anhydrous chloral, 221.
- chlorination of acetophenone, 800.
- Gautier, H. See also Colson.
- Gautrand, estimation of ethyl sulphuric acid in Rabel water, 1079.
- Gawalowski, A., aluminium sulphate, 204.
- aspirator, 15.
- new ammonium magnesium phosphate, 204.
- Gayon, U., and E. Dubourg, abnormal secretion of nitrogenous substances by yeasts and moulds, 733.
- Gayon, U., and G. Dupetit, reduction of nitrates by micro-organisms, 823.
- Gayon, U. See also Millardet.
- Gehring, G., butyl monochloracetate, 784.

G.

Gabriel, S., action of nitrous and

- Geissmann, C. See Nölting.
- Genth, F. A., and G. v. Rath, vanadates and silver iodide from New Mexico, 26.
- Georgievics, S. v., action of ammonia on anthragallol, 69.
- Gerber, N., addition of goat's milk to cow's milk, 924.
- Gerichten, E. v. See Fischer.
- Gerlach, G. T., alcohol and mixtures of alcohol with water, 193.
- Gerrard, A. W., reaction of atropine and related alkaloids, 284.
- reaction of atropine with mercurous salts, 632.
- ulexin, 1048.
- Giannetti, G., colorimetric determinations, 738.
- Gibbs, W., complex inorganic acids, 205, 426, 511.
- Gibson, J., and R. M. Morrison, peroxides of zinc, cadmium, magnesium, and aluminium, 305.
- Gilbert, H., estimation of boric acid, 742.
- Gilbert, J. H., conditions of the development and of the activity of chlorophyll, 92.
- Gilbert, J. H. See also Lawes.
- Giles, W. B., and A. Scheerer, percentage of sulphurous anhydride in aqueous solutions, 199.
- Ginsburg, J., and S. Bondzynski, rhodanic acid, 325.
- Gintl, W., estimation of carbon in iron and steel, 98.
- Girard, A., development of the sugar-beet, 1063.
- fermentation of bread, 185.
- Girard, J., thermal springs of Hamman Salahine, 996.
- Girard. See De Girard.
- Gladstone, G., refraction of fluorine, 497.
- Gladstone, J. H., specific refraction and dispersion of the alums, 293.
- specific refraction and dispersive energy of essential oils, *TRANS.*, 609.
- Gladstone, J. H., and A. Tribe, aluminium orthocresylate and its products of decomposition by heat, *TRANS.*, 25.
- Glaser, G. See Weidel.
- Glinka, S., crystalline form of calcium hydroxide, 120.
- Godefroy, L., chloreters, 606.
- Göttig, C., behaviour of the alkaline hydrosulphides with alkyl salts, 332.
- hydrated sodium sulphide, 980.
- Goldschmidt, G., action of sodium on bromo-derivatives of benzene, 541.
- papaverine, 83, 478.
- Goldschmidt, H., camphylamine, 249.
- gastric digestion in the horse, 952.
- the diastatic ferment in saliva, 726.
- Goldschmidt, H., and M. Hönig, nitrochlorotoluene and toluidine, 1022.
- Goldschmidt, H., and L. Schulhof, camphylamine, 557.
- Goll, O. See Nietzki.
- Gooch, F. A., method of filtration with easily soluble and volatile filters, 96.
- separation of titanium and aluminium and of titanium and iron, 492.
- Gorceix, H., phillipsite from Brazil, 319.
- xenotime from Minas Geraes, Brazil, 676.
- Gorceux, zeolite from a pyroxenic rock of Brazil, 519.
- Gorgeu, A., action of air, silicon, and kaolin on haloïd salts of the alkalis, 664.
- aluminium potassium and aluminium sodium silicates, 667.
- Gortaloff, A., and A. Saytzeff, synthesis of methyl dipropyl carbinol, 437.
- Gouy, velocity of light in carbon bisulphide, 957.
- Graebe, C., and P. Guye, diphthalyl, 882.
- Graebe, C., and A. Rée, compounds obtained by the aid of sulphophthalic acid, *TRANS.*, 522.
- Green, A. G. See Friswell.
- Green, E. M., value of Brücke's method for the removal of interfering substances from urine in testing for glucose, 745.
- Green, J. R., edible bird's nest, 635.
- proteid substance in latex, 828.
- Green, W. D., error in the estimation of urea by Russel and West's apparatus, 747.
- Green, W. D. See also Marshall.
- Greenwood, M., digestion of rhizopods, 1053.
- Gréhant, N., elimination of carbonic oxide after partial poisoning, 641.
- Gresly, L., reduction of and condensation of homologues of benzoylbenzoic acid, 1028.
- triphenylmethanecarboxylic acid, 1035.
- Grevink, E., azo-derivatives of meta-xyleneol, 348.
- Griepentrog, H., new synthesis of triphenylmethane, 887.
- Griess, P., diazo-compounds, 459.
- Griffiths, A. B., action of salicylic acid on ferments, 386.
- use of ferrous sulphate in agriculture, *TRANS.*, 114.

- Griffiths, A. B., and S. Dreyfus, calamine, 989.
 Grimaldi, G. P., expansion of ether at various pressures, 498.
 — physical properties of thiophen, 613.
 — variation of temperature of the maximum density of water with pressure, 9.
 Grimaux, E., and L. Lefèvre, conversion of glucoses into dextrins, 1003.
 Grittner, A., and J. Szilasi, estimation of resin in soaps and fats, 747.
 Groddeck, A. v., topaz and tourmaline from Tasmania, 603.
 Groll, A., metanitrodimethylaniline, metanitrodiethylaniline, and their reduction products, 347.
 Groshans, J. A., extension of the laws of density numbers to thermochemistry, 498.
 — relation between the boiling points and specific volumes of liquids, 590.
 — the law of density numbers, 194, 411.
 Gross, L. See Hilger.
 Guareschi, J., α -chlorophthalic acid, 353.
 — conversion of naphthalene-derivatives into substituted phthalides, 807.
 — naphthalene-derivatives, 807.
 Gucci, P., action of carbon bisulphide on metaphenylenediamine, 1023.
 — separation of nickel from cobalt, 1077.
 Gumpert, F., phenyl isocyanate, 342.
 Guntz, action of acids and bases on solutions of tartar emetic, 856.
 — non-metallic fluorides, 850.
 Gustavson, G., action of aluminium bromide on ethylene and the alkyl bromides, 999.
 Guthrie, F., physical molecular equivalents, 197.
 Guthzeit, M. See Conrad.
 Guye, P. See Graebe.
 Guyot, P., commercial treatment of Roman alunite, 402.
 — estimation of lime in animal charcoal, 1075.

H.

- Haarmann, R. See Tiemann.
 Hänisch, E., and M. Schröder, obtaining sulphur from furnace gases, 288.
 Hagen, M., lupanine, 163.
 Hager, H., adulteration of honey with sugars, 282.
 — derivatives of diphenylurethane, 59.

- Hager, H., diphenylamine as a reagent for free chlorine, 96.
 — diphenylamine as a reagent for nitric acid, 99.
 — examination of mustard oil, 394.
 — naphthol as a reagent for free chlorine and bromine, 97.
 — naphthol and sulphuric acid as a test for nitric and nitrous acids and free chlorine, 99.
 — nitration of parabromaniline, 52.
 Haller, A., action of potash on ureas, 691.
 — camphol from valerian, 1040.
 — cyanocamphor, 891.
 — ethylbenzoylcyanacetate and cyanacetophenone, 240.
 — isomerism of camphols and camphors, 890.
 Halliburton, W. D., blood of decapod Crustacea, 639.
 — blood proteids of lower Vertebrata, 1050.
 — cellulose in Protozoa, 640.
 — colouring matter of serum, 1050.
 — hæmoglobin and metahæmoglobin crystals of rodents, 637.
 Hamberg, A., chemistry of sea-water, 322, 679.
 Hammerschlag, W., chloro- and bromo-derivatives of anthracene, 717.
 Hampe, W., volumetric estimation of manganese, 101.
 Hand, A., benzene-derivatives, 1017.
 Hannin, F. See Rindell.
 Harriot, action of hydrogen peroxide on benzoic acid, 801.
 — pyrogenic decomposition of organic acids, 224.
 Hansen, A., ferments, 1059.
 — quantitative estimation of chlorophyll, 1083.
 Hanssen, A., brucine, 564.
 Hantzsch, A., action of phosphorous pentasulphide on furfuran-derivatives, 1040.
 — ammonium-derivatives of ethereal salts of pyridine- and quinoline-carboxylic acids, 369.
 — constitution of nitranilic acid, 1021.
 — constitution of synthetic hydro-pyridine-derivatives, 77.
 — furfuran-derivatives of the naphthalene series, 707.
 — isomeric pyridinedicarboxylic acids, 477.
 Hantzsch, A., and E. Lang, coumarone- α -carboxylic acids, 706.
 Hantzsch, A., and K. Loewy, quinone-derivatives from ethyl succinon-succinate, 354.
 Hantzsch, A., and G. Pfeiffer, fur-

- furane-derivatives of the phenanthrene series, 716.
 Hantzsch, A., and L. Weiss, symmetrical pyridinetetracarboxylic acid and 3:5 pyridinedicarboxylic acid, 477.
 Hardy, E., and G. Calmels, decompositions of pilocarpine, 900.
 ——— jaborine, 815.
 ——— pilocarpine, 724.
 ——— reactions of pilocarpine, 1048.
 Harnack, E., bases in jaborandi leaves, 85.
 Harper, D. N. See Penfield.
 Harris, V. D., compounds of hæmatin, 1052.
 Hartley, W. N., chlorophyll from the deep sea, 367.
 Harz, K., quinoline-derivatives from propaldehyde, 261.
 Haslam, A. R., solubility of barium sulphate in hydrobromic and hydriodic acids, 422.
 Hasse, H., amidotoluene-disulphonic acid, 150.
 Hatschek, A., and A. Zega, action of paratoluidine on resorcinol and quinol, 455.
 Haushofer, K., crystallographical investigations, 341.
 Hautefeuille, P., and J. Margottet, combinations of phosphoric acid with titanio, zirconio, and stannic acids, 670.
 Haycraft, J. B., new method for the determination of uric acid, 748.
 Hayem, G., conversion of hæmoglobin into metahæmoglobin, 637.
 Hayes, H. V., and J. Trowbridge, cause of irregularities in the action of galvanic batteries, 293.
 Hazura, K., and R. Benedikt, chloro- and bromo-derivatives of phloroglucinol, 52.
 Hazura, K. See also Bauer.
 Headden, W. P., and B. Sadler, the Marsh-Berzelius method for the detection of arsenic, 489.
 Hecht, O. See Iwig.
 Heckel, E., and F. Schlagdenhaufen, cholesterin in vegetable fats, 829.
 ——— Doundaké or African quinine, 267.
 ——— gutta-percha from *Bassia Parkii*, 249.
 ——— lecithin in plants, 1064.
 ——— root of *Danais fragrans*, 173.
 Heddle, M. F., minerals new to Britain, 432.
 ——— some ill-determined minerals, 130.
 Hefelmann, R., desulphurisation of thiocarbamides by mercuric cyanide, 349.
 Hegel, S., indole-derivatives, 551.
 Heiden, E., preservation of farmyard manure, 277.
 Heidlberg, T. See Heumann.
 Heim, C., electrical conductivity of supersaturated salt solutions, 654.
 Heintze, O., crystallography of some organic compounds, 235.
 Hembert, F., and Henry, preparation of hydrogen, 184.
 Henneberg, W., and F. Stohmann, digestion of cellulose, 86.
 Henderson, G. G., on the action of triphenylmethyl bromide on ethyl sodiomalonate, Proc., 251.
 Henry, L., γ -bromo- and γ -iodobutyric acids, 440.
 ——— haloid derivatives of acetonitrile, 1001.
 ——— malonodinitrile, 786.
 ——— methylene-derivatives, 43.
 ——— normal dinitriles, 860.
 ——— normal and primary monochlorobutyl-derivatives, 215.
 ——— polymerisation of the metallic oxides, 303.
 ——— volatility of mixed derivatives, 135.
 ——— volatility of oxynitriles, 605.
 Henry, See Hembert.
 Hensgen, C., antimony and bismuth sulphates, 513.
 ——— potassium and ammonium manganese chromates, 426.
 Hepp, E. See Fischer.
 Herberts, H., liquid carbonic anhydride, 107.
 Herrmann, F., crystals containing mixtures, 972.
 ——— ethyl quinonedihydroparadicarboxylate, 1027.
 ——— formation of ethyl succinosuccinate from ethyl dihydroxyterephthalate, 706.
 ——— re-formation of ethyl succinosuccinate from ethyl dihydroxyterephthalate, 550.
 Herrmann, P., and B. Tollens, sugar of *Symphoricarpos racemosa*, 92.
 Herroun, E. F., electromotive force of certain tin cells, 752.
 Herroun, E. F. See also Bloxam.
 Herth, R., hemialbumose or propeptone, 567.
 Herz, J., estimation of sulphurous acid in beer, 102.
 Herzberg, H. See Stohmann.
 Herzfeld, A., maltodextrin, 221.
 ——— new compound of saccharose, 863.

- Herzfeld, A., and E. Börnstein, oxidation of levulose, 862.
- Herzfeld, A., and H. Winter, levulose, 438, 862.
- Herzfeld, A. See also Börnstein.
- Herzig, J., derivatives of phloroglucinol, 232.
- quercetin and its derivatives, 251.
- rhamnetin, 252.
- Herzig, J. See also Weidel.
- Herzog, M., preparation of aluminium, 401.
- Hesekiel, A., β -picoline: synthesis of homologues of pyridine, 256.
- Hess, O., action of bromacetophenone on phenylhydrazine, 547.
- Hesse, O., cinchonidine in quinine sulphate, 813.
- cupreine and homoquinine, 83.
- lactucerin, 1020.
- notes on quinine hydrate, 813.
- pseudomorphine, 1047.
- Heumann, K., and J. Heidberg, influence of substituted elements and radicles on the shade of some dyes, 942.
- Heumann, K., and E. Mentha, chlorazo- and hydrazo-benzene, 874.
- Heusler, F., and H. Klinger, selenides from the Andes, 22.
- Heusler, F. See also Anschutz.
- Heyden, F. W. v., preparation of substituted salicylic acids, 468.
- Heydrich, C., derivatives of triphenylamine, 553.
- Heyer, C. See Sternberg.
- Heymann, B., and W. Koenigs, oxidation of homologues of phenol, 542.
- Hickethier and Holdefleiss, preservation of stable manure, 390.
- Hidden, W. E., hanksite, 315.
- meteoric irons of unusual interest, 995.
- Hilger, A., and L. Gross, composition of vines, 1062.
- Hilger, A., and K. Lampert, weathering of granite, 995.
- Hilger, A., and L. Mutschler, cyclamin and saponin, 366.
- Hill, H. B., dibromacrylic acid, 687.
- Hill, H. B., and C. R. Sanger, bromopyromucic acid, 446.
- Hillebrand, W. F., rare minerals from Utah, 516.
- Hinsberg, O., constitution of the aldehydines, 943.
- quinoxalines, 82, 561, 722.
- Hintz, E. See Fresenius.
- Hintze, C., arsenolamprite, 773.
- Hiortdahl, T., crystallography of ferrocyanides, 522.
- Hirschler, A., influence of carbohydrates, &c., on the putrefaction of proteids, 729.
- Hirschler, A., pancreatic digestion, 729.
- Hjelt, E., action of sulphuric acid on phthalic alcohol, 791.
- ortho-xylenyl chloride, 143.
- oxidation of phthalic alcohol, 455.
- phthalide from orthotoluic acid, 469.
- Hjelt, E., and M. Gadd, pseudocumenyl alcohol, 615.
- Hoch, R. See Claus.
- Hodgkinson, W. R., action of sodium on ethereal salts of phenylacetic acid, PROC., 188.
- Höhnelt, F. v., and J. F. Wolfbauer, fat of the fruit of *Vateria Indica*, 223.
- Hölz, O. See Staedel.
- Hönig, M., action of bromine and water on levulose, 328.
- derivatives of phthalide, 242.
- Hönig, M., and S. Schubert, sulphates of some carbohydrates, 44.
- Hönig, M., and E. Zatzek, action of potassium permanganate on thio-sulphuric acid, 504.
- Hönig, M. See also Goldschmidt.
- Hötte, B., action of phenylhydrazine on the anhydrides of organic acids, 353.
- Hoffmeister, W., estimation of cellulose and wood gum, 954.
- Hofmann, A. W., action of bromine on amides, 45.
- chlorinated methyl isocyanide and the constitution of cyanuric acids, 931.
- cyanuric ethers, 929.
- isomelamines: constitution of melamine and of cyanuric acid, 41.
- phenylmelamines, 233.
- replaced melamines, 38.
- Hofmann, A. W. See also Amsel.
- Hofmann, B. K., estimation of lithium by spectrum analysis, 178.
- Hofmann, R. See Rügheimer.
- Hofmeister, F., assimilation of food, 728.
- Hofmeister, F. See also Ellenberger.
- Holdefleiss, sugar as an addition to cattle food, 727.
- Holdefleiss and Strohmer, lime waste from sugar factories, 647.
- Holdefleiss. See Hickethier.
- Holder, J. G., oxidation of benzene, 49.
- Holleman, A. T., nitration of cymene, 1017.
- Hollrung, M. U., rubellan, 213.
- Holovokschiner, E., presence of

diastatic and other ferments in urine, 903.

Holton, F. A., new qualitative methods, 279.

Homberger. See Borggreve.

Homén, T., electrical conductivity of air under reduced pressure, 3.

Homolka, B., cantharidin, 723.

Homolka, B., and W. Löw, action of potassium cyanide on nitroterephthalaldehyde, 701.

Homolka, B. See also Cornelius.

Hood, J. J., rate of chemical change as a function of temperature, 301.

— retardation of chemical change, 502.

Hoogewerff, S., and W. A. van Dorp, isoquinoline, 78.

— oxidation of isoquinoline, 478.

Hooper, D., optical method of analysis of quinine sulphate, 1086.

Hoppe-Seyler, F., action of nascent hydrogen in increasing the activity of oxygen, 120.

— decomposition products of hæmoglobin, 726.

— formation of methane and carbonic anhydride from cellulose, 577, 932.

Horbaczewski, J., digestion of elastin with pepsin, 270.

— products of the action of hydrochloric acid on albuminoids, 85.

Horbaczewski, J., and F. Kaněra, influence of glycerol, sugar, and fat on the secretion of uric acid in man, 822.

Hornberger, R., manurial value of bracken, 485.

Hornstein, F. F., magnetism of magnetite, 654.

Horstmann, A., specific volumes at the boiling points and other temperatures, 759.

Hoskinson, W. S. See Smith.

Hote. See L'Hôte.

Houdé, A., sparteine and its salts, 370.

Howard, W. C., and W. Roser, thebaine, 813.

Howe, J. L., action of nitric acid on mercuric sulphide, 595.

Hüfner, G., action of water free from oxygen on oxyhæmoglobin, 567.

Hugounenq, L., amylmonochloracetate, 784.

Huhn, A., aromatic carhodiimides, 1035.

Humpidge, T. S., atomic weight of beryllium, 506.

Hungerbühler, J., composition of ripe potatoes, 485.

Hunt, B., estimation of tannin, 285.

Huss, N., estimation of phosphorus in iron and steel, 1073.

I.

Iddings, J. P., occurrence of fayalite, 319.

Iddings, J. P., and W. Cross, allanite as an accessory constituent of rocks, 317.

Igelström, L. J., apophyllite from Wermland, 28.

— berzeliite, 25.

— empholite, 31.

— hyalophane from Jacobsberg, in Wermland, Sweden, 212.

— manganese minerals from Wermland, 34.

— manganostilbite, 25.

— native bismuth from Sweden, 674.

— persbergite, 31.

— xanthoarsenite, 25.

Ihmori, T., absorption of mercury vapour by platinum-black, 766.

Ilinski, M., dinitrosonaphthalene, 472.

— nitrosonaphthols and their derivatives, 474.

Ilinski, M., and G. v. Knorre, separation of iron and aluminium, 100.

Ilinski, M. See also Liebermann.

Ince, W. H. See Eastes.

Irving, A., decomposition of ammonia by electrolysis, 848.

Isambert, F., action of hydrogen chloride on iron, 425.

— action of lead oxide on ammonium chloride, 770.

— phosphorus pentasulphide, 767.

Isbert, A., ethyl acetoacetate and its derivatives, 1009.

Israel, A., ethyl propiopropionate, 334.

Istrati, chlorinated ethylbenzenes, 230, 343.

— chlorobenzenes, 229.

Iwig, F., and O. Hecht, calcium malates, 870.

— dry distillation of some silver salts of the acetic series, 439.

— products of the oxidation of mannitol, 525, 782.

Izarn. See Chibret.

J.

Jack, R. L., gold beds of Mount Morgan, Queensland, 21.

Jackson, C. L., and J. F. Wing, action of sodium on tribenzylamine, 616.

— benzenetrisulphonic acid, 623.

— direct conversion of aromatic sulphonic acids into the corresponding amido-compounds, 623.

- Jacobj, C., the Knop-Hüfner method of estimating urea, 104.
- Jacobsen, O., action of sulphuric acid on durene, 694.
- 1 : 3 : 4 metaxylenol, 345.
- orthoxylidines, 235.
- pseudocumenesulphonic acids, 709.
- Jacobsen, O., and E. Schnapauff, durene-derivatives, 67.
- Jacobson, P., anhydro-compounds of orthamidophenylmercaptan, 700.
- oxidation products of phenylthio-urethane, 876.
- Jacobson, P. See Biedermann.
- Jacoby, O., action of hydroxylamine on capronitrile, 785.
- derivatives of acetophenone, benzylidenacetone, and benzil, 800.
- Jacquemin, G., separation of urethane, 1085.
- Jaekel, H., thiophendisulphonic acid, 339, 613.
- Jaffe, M., precipitate produced by picric acid in normal urine, 1056.
- Jagnaux, R., analyses of emery, 675.
- Jahn, H., equivalence of chemical change and current energy, 840.
- galvanic polarisation, 839.
- Jahn. See Pebal.
- Jahns, E., alkaloids of fenugreek seeds, 85.
- Jaksch, R. v., ethyl carbamate, a new hypnotic, 572.
- lipaciduria, 1056.
- occurrence of volatile fatty acids in urine, 384.
- phenylhydrazine as a test for sugar in urine, 744.
- James, J. W., action of phosphorus pentachloride on ethylic diethylacetate, TRANS., 50.
- derivatives of taurine, TRANS., 486.
- synthesis of ethyl acetoacetate from cyanacetone, 333.
- Jameson, J., the Jameson coking process, 288.
- Jannasch, P., and V. Meyer, organic elementary analysis, 649.
- Janovsky, J. V., nitro- and bromo-derivatives of azobenzene, 794.
- Janovsky, J. V., and L. Erb, derivatives of azo-compounds, 1024.
- Janowsky, F., cultivation of potatoes, 390, 577.
- Janssen, J., absorption-spectra of oxygen, 749.
- spectroscopic examination of the constituents of the atmosphere, 1.
- Japp, F. R., and C. I. Burton, conversion of ditolane-azotide into diphenanthrylene-azotide, TRANS., 843.
- Japp, F. R., and J. Raschen, action of phosphoric sulphide on benzophenone, TRANS., 478.
- compound from benzil and isopropyl alcohol, TRANS., 832.
- Japp, F. R., and W. H. Wilson, ammonia-derivatives of benzoin, TRANS., 825.
- Japp, F. R., and W. P. Wynne, action of aldehydes and ammonia on benzil, TRANS., 462.
- imabenzil, TRANS., 473.
- Jarius, M., action of saline solutions on germination, 90.
- Jeannel, G., solubility of chlorides in presence of hydrochloric acid, 972.
- Jeller, R. See Donath.
- Jellinek, G., diquinoline, 1045.
- Jenkins, E. H., analysis of tobacco leaves and stems, 177.
- Jermeëff, P. v., and P. D. Nikolaieff, apatite from Turkestan, 600.
- Jesurun, J. A., metaisocymopheno., 696.
- Joannis, modifications of cupric oxide, 666.
- Jochum, P., action of sodium thiosulphate on metallic salts, 17.
- Jodin, V., chlorophyll, 476.
- Schützenberger's oxymetric solution, 648.
- Jodlbauer, M., determination of nitrogen in nitrates by Kjeldahl's method, 834.
- Jørgensen, S. M., constitution of double platinum salts, 857.
- Johannsen, influence of oxygen at high pressure on the disengagement of carbonic anhydride, 274.
- respiration of plants under abnormal conditions, 575.
- Johnson, physiological action of boric acid and borax, 572.
- Johnson, G. S., silver carbonate, 960.
- Johnson, G. S., and A. Eiloart, estimation of nitrogen by combustion, 488.
- Johnstone, W., use of acetic acid in milk analysis, 583.
- Johnstrup, P., occurrence of cryolite in Greenland, 431.
- Jolles, A., washing and drying precipitates without exposure to the air, 1070.
- Jolly, L., clinical examination of urine by means of Fehling's solution, 744.
- Joly, A., decomposition of hypophosphoric acid, 593, 662.
- hydrates of arsenic acid, 202.

- Joly, A., hydrates of hypophosphoric acid, 303.
 — hypophosphoric acid, 200.
 — preparation and titration of orthophosphoric acid, 418.
 — thermochemistry of hypophosphoric acid, 408.
- Joly, A., and H. Dufet, monosodium arsenate and monosodium phosphate, 769.
- Jones, E. W. T., determination of iron oxide and alumina in phosphates, 491.
- Jones, H. W., estimation of emetine, 1086.
- Jordan, A. E., and T. Turner, condition of silicon in pig iron, *TRANS.*, 215.
- Jordan, W. H., effect of various manures on the ash of tobacco, 177.
- Joubert, J., crystallisation of sodium ammonium paratartrate, 533.
- Joulie, H., absorption of nitrogen by cultivated soils, 275.
- Jürgens, A., aconitine, 565.
- Julius, P., hydrobromapoquinine, 83.
 — Magdala-red, 712.
- Jung, O., daphnetin, 558.
- Just, F., action of benzanilidoimide chloride on ethyl sodmalonate, 149.
 — action of phenylhydrazine on amido-compounds of benzene, 699.
 — ethyl diacetofumarate, 141.
 — imido-chlorides and their reactions, 617.
 — oximido-compounds and phenylhydrazine, 701.
 — phenylhydrazine and acid amides, 700.
 — syntheses in the quinoline series, 161, 811, 812.
- K.**
- Kacher, J., presence of mannitol in the cambium sap of pines, 1062.
- Kaemmerer, H., preparation of nitric oxide, 200.
- Kaeswurm, A., condensation of aromatic bases with aldehydes, 552.
- Kahlbaum, G. W. A., boiling point and pressure, 590.
 — do the static and dynamical methods of measuring vapour-tensions give different results? 193.
- Kahn, M., quinoline-derivatives from normal butaldehyde, 262.
- Kaiser, A., nitro-para- and meta-acetamidobenzoic acids, 149.
- Kaiser, A. See Gattermann.
- Kalecsinszky, A., new apparatus for chemical laboratories, 15.
- Kalmann, W., estimation of phosphorus in iron and steel, 280.
 — standardising iodine solutions, 579.
- Kaněra, F. See Horbaczewski.
- Kannonikoff, J., azo-compounds with mixed and substituted radicles, 145.
 — refractive power of organic compounds, 335.
- Kayser, H., new form of thermopile, 3.
- Kayser, R., bleaching and dyeing bone and ivory, 188.
 — lokao or Chinese green, 254.
- Keiser, E. H., lecture experiment on nitrogen oxides, 660.
 — new apparatus for gas analysis, 647.
- Kelbe, W., hydrolysis of aromatic sulphonic acids by means of superheated steam, 355.
 — presence of ordinary cymene and an aromatic hydrocarbon, C_9H_{12} , in resin spirit, 939.
- Kelbe, W., and M. Koschnitzsky, action of bromine on paracymenesulphonic acid, 884.
- Kelbe, W., and K. Pathe, pseudocumene-derivatives, 804.
- Kelbe, W., and G. Pfeiffer, meta- and para-isobutylbenzoic acids and isobutylbenzene, 877.
- Kelbe, W., and H. Stein, action of bromine on xylenesulphonic acids, 1062.
- Kellner, O., action of ferrous oxide on vegetation, 486.
- Kenngott, A., crocydolite and arfvedsonite, 128.
- Kerez, C., action of the aluminium halogen-compounds on the halogen-derivatives of the paraffins, 435.
- Key, M., influence of light on the growth of yeast, 387.
- Kiliani, H., action of hydrocyanic acid on dextrose, 526.
 — constitution of dextrose-carboxylic acid, 687.
 — constitution of isosaccharic acid, 48.
 — cyanhydrin of levulose, 219, 438.
 — ethylpropylacetic acid, 441.
 — lactone of levulosecarboxylic acid, 869.
 — normal pentahydroxypimelic acid and its lactone, 936.
- Kinkel, F. See Miller, v.
- Klason, P., cyanuric acid: di- and tri-thiocyanuric acids, 324.
 — estimation of sulphur and halogens in organic compounds, 918.
 — melam-compounds, 524.
 — normal melamines, 522.

- Klason, P., the cyanuric radicle and its compounds with halogens, 1001.
- Kleemann, S., action of alkalis on nitracetanilides and nitracetonaphthalides, 472.
- peculiar reaction of malonic acid, 935.
- Klein, D., tellurous anhydride, 767.
- telluryl tartrate and citrate, 336.
- Klein, D., and A. Berg, corrosion of boilers by solutions of sugar, 1004.
- Klein, E., bacteriological research from a biologist's point of view, *TRANS.*, 197.
- electrical conductivity of double salts, 407.
- Klein, F., examination of argol and wine lees, 182.
- Klein, J., estimation of phosphoric acid in Thomas-process basic slag, 740, 835.
- Klement, C. See Renard.
- Klingel, J., paramidacetophenone, orthamidometacetyloluene, and some of their derivatives, 60.
- Klinger, H., isobenzil: action of sunlight on some organic compounds, 883.
- Klinger, H., and H. Pitschke, meta-dinitroazoxybenzene and orthazoxytoluene, 53.
- Klinger, H. See also Heusler.
- Klobb, T., compounds of ammonia with metallic permanganates, 983.
- Klobukoff, N. v., air-pump regulator, 118.
- apparatus for operations in a vacuum, 178.
- decomposition of ethyl ether by the induction spark, 1003.
- new apparatus for electrochemical investigations, 653.
- Kloos, J. H., alteration of labradorite into an albite and a zeolitic mineral, 128.
- hornblende containing manganese and zinc, from Franklin, 678.
- Klotz, C. See Lellmann.
- Knapp, F., formation of ultramarine in the wet way, 306.
- Knerr, E. B. See Smith.
- Knöfler, O., volumetric estimation of the alkaline earths, &c., 180.
- Knop, absorption of non-alimentary substances by plants, 171.
- Knop, W., azotometry and the azotometer, 1072.
- Knorr, L., ammonia as a reagent for certain double ketones, 331.
- Knorre, G. v., paratungstates, 597.
- Knorre, G. v. See also Ilinski.
- Knyrim, M. See Claus.
- Koch, F. See Krenner.
- Koch, H. See Fischer.
- Köbrich, A., estimation of nickel on nickeled iron, 836.
- Köhler, A., action of guanidine on ethyl acetoacetate, 443.
- Köhler, H., solubility of antimony oxide in glycerol, 428.
- Koenig, G. A., cosalite, alaskite, and beegerite, 515.
- König, J., purification of sewage water, 286.
- König, J., and C. Böhmer, changes occurring during, and the action of water in irrigation, 176.
- purification by irrigation of water flowing from factories, 287.
- Königs, W., and J. U. Nef, phenylquinaldinic acid and phenylquinoline, 1045.
- Koenigs, W. See also Feer, Heymann.
- Kohlrausch, F., coefficient of conductivity of electrolytes in very dilute solutions, 113.
- Kohn, C. H., ammonium-compounds and other derivatives of α -1'-hydroxyquinoline, *TRANS.*, 500.
- Kohn, O. See Nölting.
- Kohnstein, B., detection of grape-sugar in leather, 745.
- Kokscharoff, N. v., turquoise (calaita) in Russia, 516.
- Kollrepp, A., derivatives of chlorinated paranitrophenols, 1018.
- Kolotoff, S., action of oxymethylene on amines, 138.
- Kondakoff, N., action of chlorine on trimethylethylene, 136.
- Koninck, L. L. de, detection of chlorides in the presence of bromides and iodides, 179.
- Konovaloff, D., contact action in dissociation, 9.
- Konovaloff, D. See also Menschutkin.
- Konther, F., treating celestine and heavy spar, 108.
- Kopp, H., relation between the specific heat and composition of solid organic compounds, 587.
- Koppe, M. See Gabriel.
- Koppeschaar, W., examination of commercial quinine sulphate, 182.
- Koral, M., the inversion of cane-sugar by benzoic acid and the hydroxybenzoic acids, 932.
- Koreff, R., α -naphthaquinone-derivatives, 363.
- Koschnitzky, M. See Kelbe.
- Kosmann, B., determination of phos-

- phoric acid, iron, and alumina in slags, 489.
- Kosmann, B., thallium in raw zinc, 851.
- Kossel, A., nucleïn, 566.
- Kostanecki, S. v., introduction of the carboxyl-group into phenols, 242.
- Kostanecki, S. v. See also Liebermann.
- Kowalewsky, N., uranyl acetate as a reagent for albumin, 285.
- Krafft, F., higher normal paraffins, 998.
- Krakau, A., action of caustic alkalis on cinchonine, 161.
- Kratschmer, estimation of carbonic anhydride, 172.
- use of sodium bromate in volumetric analysis, 280.
- Kraut, K., action of nitric acid on mercuric iodide, 204.
- behaviour of plumbiferous zinc on remelting, 594.
- chromammonium compounds, 849.
- Krekeler, K., isobutyrothiënone and propiothiënone, 538.
- Krenner, J. A., emplectite from Rézbánya, 126.
- zygadite, 518.
- Krenner, J. A., and F. Koch, szaboite, 432.
- Kretschmar, M., determination of iron and aluminium in phosphates, 393.
- estimation of alkalis, 490.
- Kreusler, U., method of observing the respiration of plants, 574.
- percentage of oxygen in the air, 199.
- thermo-regulator, 301.
- Kreusler, U., and F. W. Dafert, glutinous rice, 390.
- Kritschewsky, L. See Schwarzenbach.
- Kroupa, G., detection of mercury, 921.
- Kruckenberg, C. F. W., hyalogens, 481.
- skeletons, 481.
- solubility of chitin, 808.
- Krüß, G., molecular movements, 14.
- Kubel, magnesium acetate, 530.
- Kühne, W., and R. H. Chittenden, globulin and globuloses, 818.
- — — peptones, 819.
- Külz, R., quantitative estimation of glycogen, 494.
- Kues, W., and C. Paal, β -benzois-succinic acid, 354.
- — — synthesis of thiotolen and hydroxythiotolen, 536.
- Küsel, A., constitution of aniluvitonic acid, 1027.
- Küttner, P. See Claus.
- Kulisch, P., action of hydrogen phosphide on solutions of metallic salts, 200.
- determination of nitrogen in wine must and lees, 652.
- Kunz, G. F., meteoric iron from Glorieta Mountain, New Mexico, 321.
- meteoric iron from West Virginia, 520.
- native antimony from New Brunswick, 311.
- Kunz, H., new constituents of *Atropa belladonna*, 255.
- Kupferschläger, purification of sulphuric acid, 302.
- Kuss, epsomite from the Psychagnard anthracite mine, 516.

L.

- Laar, C., hypothesis of interchangeable union, 504.
- Lachowicz, B., action of acid chlorides on inorganic compounds, 222.
- La Coste, W., metachloroquinoline, 159.
- La Coste, W., and C. Sorger, para- and ortho-phenylquinoline, 80.
- La Coste, W., and F. Valeur, quinolinedisulphonic acids, 628.
- Lacroix, A., olivine from the Isle of Bourbon, 775.
- Ladd, E. F., composition and relative digestibility of feeding stuffs, 646.
- Ladenburg, A., constitution of benzene, 613.
- ethylpyridine and ethylpiperidine, 152.
- hopeine, 563.
- imines, 139.
- method for determining positions in the pyridine series, 158.
- penta- and tetra-methylenediamine, 528.
- piperidine from pentamethylenediamine, 269.
- synthesis of conine, 478.
- Ladureau, A., ammoniacal ferment, 386.
- inverting ferment of cane-sugar, 169.
- Lafont, J. See Bouchardat.
- Lampert, F., derivatives of trichloro-paramidophenol, 616.
- Lampert, K. See Hilger.
- Landolt, H., rate of chemical change between iodic and sulphurous acids, 658.
- supposed optical rotatory power of picoline, 368.

- Landolt, L. See Lunge.
- Lang, E. See Hantzsch.
- Lang, J., reverse actions between antimony sulphide and hydrochloric acid, 20.
- Langbein, E., examination of nickel, 1077.
- Lange, M., synthesis of mixed azo-dyes from aromatic diamines, 886.
- Lange, O., α - and γ -picolines, 256.
- Lange, O. See also Roth.
- Langley, J. N., and J. S. Edkins, pepsinogen and pepsin, 1051.
- Lasaulx, A. v., optical properties and micro-structure of corundum, 23.
- liparites and sanidophyres from the Siebengebirge, 603.
- meteoric iron of Santa Rosa, Columbia, 133.
- Latham, P. W., composition of albumin, 635.
- Latschinoff, P., cholanic and bilianic acids, 566.
- choleic acid, 718.
- cholidanic and pseudochoolidanic acids, 817.
- isocholanic and isobilianic acids, 817.
- new acid analogous to cholic acid, 270.
- Laube, G., determination of small quantities of sodium chloride in presence of potassium chloride, 920.
- occurrence of hornstone and barytes at Teplitz, 24.
- Lauch, R. See Einhorn.
- Laurie, A. P., electromotive forces developed during the combination of zinc and iodine in presence of water, 751.
- measurement of the electromotive forces produced by the combination of cadmium and iodine in presence of water, *TRANS.*, 700.
- La Valle, G. See Cossa.
- Lawes, Sir J. B., and J. H. Gilbert, valuation of unexhausted manures, 177.
- Lawson, A. T. See Zincke.
- Lazarus, M. J. See Baeyer.
- Leather, J. W. See Anschütz.
- Le Canu, J. A., combination of ethyl acetate with magnesium chloride, 440.
- paraphenolsulphonic acid, 1031.
- Lecco, M. T., toxicological detection of mercury chlorides, 743.
- Lechartier, G., effect of the presence of magnesia in Portland cement, 770.
- Le Chatelier, H., application of the numerical laws of chemical equilibrium to the dissociation of chlorine hydrate 299.
- Le Chatelier, H., dissociation of calcium carbonate, 760.
- influence of temperature on the electromotive force of thermo-electric couples, 587.
- numerical laws of chemical equilibrium, 196.
- principle of equivalence in phenomena of chemical equilibrium, 762.
- Lecranier, A. See Spring.
- Lederer, L., and C. Paal, synthesis of pyrroline-derivatives, 75.
- Lefèvre, L. See Grimaux.
- Legler, L., slow combustion of ethyl ether, 327.
- Lehmann, F. See Pfeiffer.
- Lehmann, G. W., and W. Mager, estimation of arsenic in ores, mattes, and in copper, 100, 920.
- Lehmann, K. B., physiological action of Liebig's extract of meat, 89.
- Leibius, A., notes on gold, 774.
- Lellmann, E., method for determining the constitution of aromatic diamines, 625.
- Lellmann, E., and C. Klotz, dichlorotoluenes and dichlorobenzoic acids, 452.
- Lellmann, E., and A. Remy, naphthalene-derivatives, 623.
- β -nitronaphthalene, 471.
- Sandmeyer's reaction, 625.
- Lellmann, E., and C. Stickle, benzylene-derivatives, 793.
- Lenz, W., colour reactions of alkaloïds, 584.
- Leo, H., fate of pepsin and trypsin, 381.
- Leone, T., and V. Oliveri, β -dipyridyl, 78.
- Leonhard, V., occurrence of millerite in St. Louis, 125.
- Leoni, T., micro-organisms in potable water, 286.
- Lepetit, physiological action of zinc sulphate, 641.
- Lépine, R. See Cazeneuve.
- Leplay, H., absorption of potash and lime by the beetroot, 830.
- Lepsius, B., percentage of water in different wood papers, 112.
- Lescoeur, H., dissociation of hydrated cupric sulphate, 842.
- Lesnik, M., and M. Nencki, behaviour of α - and β -naphthol in the system, 822.
- Letts, E. A., and N. Collie, new method of preparing tin tetrathide, *PROC.*, 166.
- salts of tetraethylphosphonium, and their decomposition by heat, *PROC.*, 164.

- Leuckart, R., orthonitrotolylglycin : metanitroparatolunitrile, 351.
- Leuckart, R., and E. Bach, action of ammonium formate on benzaldehyde and benzophenone, 1023.
- Levascheff, S., formation of trypsin, 381.
- Levi, L. E., diphenylthiënylmethane, 787.
- Levi, S., isomeric thiotolenic acids, 539.
- Levin, J., and P. Riehm, tetramethylquinoline, 721.
- Levoir, L. C., setting of cement, 851.
- Levy, A. M., nepheline tephrite in the valley of the Janma, 433.
- Levy, S., oxidation of copaiba balsam, 250.
- Levy, S., and P. Engländer, dimethylsuccinic acid, an oxidation product of copaiba balsam, 250.
- Lewy, L., toluidines, 872.
- Lextreit, action of picric acid on terebenthene, 71.
- borneol or camphor, 557.
- Leymann, H. See Will.
- L'Hôte, L., some properties of zinc, 204.
- preparation of vanadyl chloride, 204.
- Lidoff, A., method for determining active chlorine in bleaching powder, 487.
- Lieben, A., and S. Zeisel, tiglic aldehyde and its derivatives, 783.
- Liebermann, C., azo-opianic acid and a new indigo-derivative, 468.
- behaviour of opianic and nitro-opianic acids towards phenylhydrazine, 550.
- coccerin from living cochineal, 441.
- quercetin and rhamnetin, 366.
- Liebermann, C., and M. Ilinski, polythymoquinone, 239.
- Liebermann, C., and S. v. Kostanecki, synthesis of hydroxyanthraquinones from methahydroxybenzoic acids, 474.
- Liebrecht, A., reduction of nicotine, 161.
- Liebscher, G., preservation of sliced beets in silos, 275.
- Linck, G., analyses of felspar, augite, and mica, 212.
- Lindet, L., compounds of auric chloride with sulphur and selenium tetrachlorides, 310.
- new solvents of anhydrous auric chloride, 430.
- Link, G., purification of naphthalene, 713.
- Linnemann, E., austrium, a new metallic element, 773.
- Linnemann, E., oxy-coal-gas blow-pipe and the zirconium light, 417.
- Lintner, C. J., determination of diastatic activity, 386.
- Lipp, A., δ -hexylene glycol and oxide, 218.
- Lippmann, E., and F. Fleissner, action of potassium cyanide on dinitraniline, 791.
- action of potassium cyanide on dinitrodimehtylaniline, 235.
- determination of carbon and hydrogen by means of copper oxide asbestos, 580.
- Lippmann, E. O. v., occurrence of coniferin and vanillin in asparagus, 387.
- raffinose, 221.
- List, R., action of thiocarbamide on ethyl acetacetate, 443.
- Livache, A., oxidation of oils, 687.
- Liversidge, A., some New South Wales minerals, 774.
- the Bingera meteorite, 133.
- the Deniliquin or Barratta meteorite, 134.
- Liweh, T., crystallographic investigations, 543.
- tetrahedrite from the Alaska vein, Colorado, 21.
- Lobry de Bruyn, C. A., ethenylglycollic acid, 224.
- preparation of mercury fulminate, 680.
- Loczka, J., analyses of Hungarian arsenical pyrites, 514.
- mineralogical notes, 513.
- Lodge, O., seat of the electromotive force in voltaic and thermoelectric piles, 751.
- Loebisch, W. F., mucin from the tendons of the ox, 166.
- Loebisch, W. F., and P. Schoop, strychnine-derivatives, 267.
- xanthostrychnol and strychnol, 814.
- Löbner, C. H., bleaching wool with hydrogen peroxide, 292.
- Lösekann, G., and T. Meyer, estimation of zinc, 836.
- Löw, W., terephthaldehyde, 461.
- Löw, W. See also Homolka.
- Loew, O., formaldehyde and its condensation, 609, 864.
- Löwenberg, G. L., aromatic carbonates, 789.
- Loewy, K., benzene-derivatives from ethyl succinosuccinates, 1028.
- Loewy, K. See also Hantzsch.
- Loges, G., nitrogenous organic compounds in the soil, 96.
- Lommel, E., incandescence of ultra-red rays, 5.

Lord, A. H., volumetric determination of copper with potassium cyanide, 920.

Lord, H. W., oxalic developer for gelatin plates, 106.

Lorenzen, J., minerals from Greenland, 519, 676.

Losanitsch, S. M., melting point and crystalline form of thiocarbamide, 876.

Lossen, W., atomic and specific volumes, 972.

Louguinine, W., heat of combustion of compounds of the fatty series, 192.

— heat of combustion of ethereal salts of fatty acids, 192.

— heats of combustion of fatty acids and their derivatives, 757.

Louise, E., benzoylmesitylenic acids, 352.

— phenyl mesitylenyl carbinol, 542.

Lovén, J. M., action of nitrous acid on sulphonedisacetic acid, 222.

— synthesis of a sulphur-derivative of cinnamic acid, 241.

— thio-derivatives of butyric, isobutyric, and isovaleric acids, 332.

Loviton, determination of melting and solidifying points, 417.

— discrimination of thin metallic films, 1076.

Luchini, A., reagent for alkaloïds, 182.

Luckow, C., separation of metals by means of oxalic acid, 922.

Ludwig, E., estimation of uric acid, 102.

Ludwig, R. See Classen.

Luedecke, O., calcium hydroxide as a boiler incrustation, 506.

Lüdeking, C., specific heats and gravities of the acids of the acetic series, 439.

Lunge, G., action of chlorates on metallic evaporating pans, 184.

— bleaching vegetable substances with chloride of lime, 188.

— Clark's process for estimating sulphur in pyrites, 280.

— estimation of bleaching powder by means of hydrogen peroxide, 738.

— estimation of urea, 396.

— indicators for volumetric analysis, 278.

— new applications of the nitrometer, 391.

— occurrence of sulphur in the Island of Saba, 430.

— supposed error in working with the nitrometer, 391.

Lunge, G., and L. Landolt, various bleaching liquids, 399.

Lunge, G., and J. Schmid, limits of the conversion of sodium carbonate into hydroxide, 203.

Lunge, G., and R. E. Schmidt, analysis of the hot springs of Leuk, 996.

Lustig, S., carvacrol and its derivatives, 346.

Lutz, E., descent of the series from myristic acid to lauric acid, 685.

Lux, F., detection of fat oils in mineral oils, 103.

— determination of the specific gravity of gases, 412.

Lyons, A. B., cocaine and its salts, 479.

— estimation of cocaine, 1087.

— hydrastine, 633.

M.

Maben, T., apricot, peach, and walnut oils, 644.

Maben, T. See also Dechan.

Mabery, C. F. See Cowles.

McCay, L. W., determination of arsenic, 579.

— massive safflorite, 209.

— Reich's method of determining arsenic, 742.

— separation of arsenic from the alkaline earths, 393.

Macchiati, L., xanthophyllidrin, 1041.

MacEwan, P., natural camphor oils, 72.

McGowan, G., derivatives of thiocarbamide, TRANS., 190.

Mach, E., over-heated hay, 275.

Mackintosh, J. B., action of hydrofluoric acid on silica and silicates, 979.

— determination of phosphorus in iron and steel, 488.

McLeod, H., electrolysis of aqueous solutions of sulphuric acid, with special reference to the forms of oxygen evolved, TRANS., 591.

— electrolysis of ammonium sulphate, PROC., 248.

MacMunn, C. A., hæmatin and bile pigments, 638.

— hæmatoporphyrin, 638.

— myohæmatin and the histohæmatins, 568.

— uric acid in insects and molluscs, 1056.

Macquaire, P., liquid from a cyst, 1055.

Mähr, L. See Eugling.

Märcker, M., action of nitre as compared with ammonium sulphate, 954.

- Mäcker, M., Chili saltpetre or ammonium sulphate, 646.
 — composition of certain fodder plants, 645.
 — growth of barley from varieties of seed, 274.
 Mager, W. See Lehmann.
 Magnaghi, P. See Ciamician.
 Magnanimi, O., isopropylphenylcinnamic and paramethylcoumaric acids, 467.
 Mairet, A., and Combemale, physiological action of acetophenone, 385.
 — therapeutic action of urethane, 640.
 Maisch, J. M., adulteration of saffron, 584.
 Malebra, P., effect of allantoin on the estimation of urea in wine, 583.
 Malfatti, H., digestion of various foods in the human intestines, 379.
 Mallard, E., determination of the refractive indices of boracite, 209.
 Maillet, F. R., so-called nepaulite, 207.
 Mandl, A., cyanhydrin of nitrosodipropylaniline, 792.
 Mangin, L. See Bonnier.
 Mansfeld, W., compounds of diethylene disulphide, 525.
 Maquenne, methyl alcohol in the products of the distillation of leaves with water, 274.
 Maquenne. See also Dehérein.
 Marburg, R. See Fittig.
 Markwald, W., decomposition products of thialdine thiocyanate, 864.
 Marek, salt solutions as indicating the richness of sugar-beet, 283.
 Margottet, J. See Hautefeuille.
 Markownikoff, W., aromatic hydrocarbons of Caucasian petroleum, 1015.
 Markwald, W., methylthialdine, 1005.
 Marpmann, G., lactic fermentation, 733.
 Marquardt, L., determination of zinc in zinc fume, 490.
 — new thickening material for mineral lubricating oils, 651.
 — tribenzylamine-derivatives, 615.
 Marshall, J., and W. D. Green, action of cacodylic acid on the animal economy, 730.
 Martin, S. H. C., nature of papain and its action on vegetable proteids, 642.
 — papain, 74.
 — papain digestion, 641.
 — precipitation of peptones, 636.
 — proteids of wheat flour, 1065.
 Martinon, action of hydrogen peroxide on chromium oxides, 984.
 Martius, C. A., new class of azo-dyes, 887.
 Mason, A. T., alkylenediamines, 329.
 Masson, O., sulphine salts containing the ethylene radicle. I. Diethylene-sulphide methyl-sulphinesalts, TRANS., 233.
 — sulphine salts containing the ethylene radicle. II. Dehn's reaction between ethylene bromide and ethyl sulphide, TRANS., 249.
 Masson, O. See also Dobbin.
 Mathias. See Cailletet.
 Maumené, E. J., alcoholate of potassium hydroxide, 980.
 — alkaline hydrates, 421.
 — combination of potassium alum with water, 981.
 — composition of suint, 1055.
 — decomposition of potassium chlorate by heat, 594.
 — invert-sugar and selective fermentation, 90.
 Maupas, E., amylaceous granules in Gregarinæ, 383.
 — glycogen in ciliated Infusoriæ, 383.
 Mauthner, J., and W. Suida, indole from orthotoluidine-derivatives, 886.
 Mayer, A., analysis of chicory root, 388.
 — simple method of detecting adulterated butter, 395.
 Mayer, A. See also Brockema.
 Mayer, W. J. See Michaelis.
 Mazzara, G., azo-derivatives of carvacrol, 59.
 — derivatives of cymene, 1016.
 Mazzara, G., and G. Discalzo, thymol-derivatives, 1019.
 Mazzari and Possetto, azo- and diazo-compounds of thymol, 545.
 Medgyesy, B., bluish-grey mineral crusts from Rodna, 515.
 Méhu, C., solubility of mercuric iodide in oils, &c., 110.
 Meissl, E., exchange of material in the pig, 381.
 Meldola, R., constitution of the naphthalene-derivatives, PROC., 172.
 Meldola, R., and F. W. Streatfeild, method of investigating the constitution of azo- and diazo-derivatives and analogous compounds, TRANS., 624.
 Melikoff, P., glycidic acids, 1008.
 Memminger, C., allanite from Nelson Co., Virginia, 127.
 — platinum silicide, 124.
 Mendeléeff, D., contact actions, 415.
 — correlation of physical properties of solution with concentration, 413.
 Mensching, J. See Polstorff.

- Menschutkin, N., and D. Konov-
loff, vapour-densities of some ethe-
real salts, 299.
- Mentha, E. See Heumann.
- Merck, E., preparation of peptone,
1051.
- Merck, W., artificial preparation of
cocaine and its homologues, 163.
- Mercklein, H. See Claus.
- Merril, G. P., prochlorite from the
Columbia district, 520.
- Mertens, K. H., nitration of methyl-
anilines, 1022.
- Merz, V., and A. Ris, methylphena-
zine, 546.
- ortho- and para-nitranilines,
872.
- Merz, V., and W. Weith, dimethyl-
aniline derivatives, 792.
- Messinger, J., hydroxylation of pyri-
dine-derivatives, 368.
- Metger, S., and A. Emmerling,
some causes of discrepancy in analy-
ses of superphosphate, 740.
- Meyer, A., formation of starch in
leaves supplied with glycerol, manni-
tol, and sugars, 902.
- Meyer, A. B., actinolite rock from
Dalecarlia, 990.
- new locality for nephrite in Asia,
210.
- Meyer, E. v., action of acetone on
aniline, 145.
- preparation of anisic acid, 352.
- substance contained in commercial
phenylhydrazine, 349.
- Meyer, E. v., and T. Bellmann, isa-
toic acid, 358.
- Meyer, H., lactates, 1009.
- Meyer, L., combustion of carbonic
oxide, 664.
- ferric chloride as a carrier of
iodine, 341.
- formation of quinolines from meta-
substituted amines, 161.
- Meyer, R., action of chlorine and
bromine on organic bromides and
iodides, 929.
- phenylacetic acid, 63.
- synthesis and constitution of the
two propylbenzoic acids, 944.
- Meyer, T., behaviour of Thomas slag
with water charged with carbonic
anhydride, 663.
- Meyer, T. See also Lösckmann.
- Meyer, V., drying apparatus, 417.
- drying and heating apparatus, 278.
- thionaphten, 713.
- thiophen-group, 534.
- vapour-density determinations, 842.
- Meyer, V., and F. Münchmeyer,
lactones, 883.
- Meyer, V., and A. W. Warrington,
bases from aldoximes, 783.
- Meyer, V. See also Gattermann
and Jannasch.
- Michael, A., action of aniline on
bromomaleic and chlorofumaric acids,
698.
- action of phosphorus pentachlo-
ride on salts of organic acids, 614.
- citraconic acid as a reagent for
aromatic amines, 697.
- decomposition of cinchonine by
sodium ethoxide, 162.
- formation of anilides, 697.
- isomerism of paraffinoid hydro-
carbons, 687.
- nitration of phenylhydrazine, 699.
- Michael, A., and G. M. Browne,
conversion of ethyl bromocinnamate
into ethyl benzoylacetate, 703.
- isomerism in the cinnamic
acid series, 702.
- Michael, A., and G. M. Palmer,
anilides, 698.
- resacetophenone, 239.
- simultaneous oxidation and
reduction by means of hydrocyanic
acid, 155.
- Michael, A., and J. P. Ryder, reac-
tion between aldehydes and phenols,
695.
- Michael, A., and J. F. Wing, action
of alkyl iodides on amido-acids,
148.
- Michaelis, A., acetone phosphorus
compounds, 609.
- sodium phenylhydrazine, 1025.
- Michaelis, G., and W. T. Meyer,
preparation of chloroform, 999.
- Michaelis, A., and A. Reese, aro-
matic antimony compounds, 884.
- Mikhailoff, V., new method of
separating globulins from albumins,
164.
- Michaud, G., cyclamose, a new sugar,
782.
- Michel, E., setting of cement, 851.
- Michel-Lévy, A., blue tourmaline
from Chapey, 214.
- Miczynski, Z. N., solubilities of the
acids of the oxalic series and of their
salts, 935.
- Mielcke, P. See Claus.
- Miers, H. A., crystallography of bourn-
onite, 312.
- Mill, H. R., salinity of the waters of
the Firth of Forth, 322.
- Millardet and Gayon, copper in
vines treated with lime and copper
sulphate, 738.
- Miller, A. K., (a) the hydrolysis of
sulphonic acids; (b) the action of

- bromine on tolueneparasulphonic acid, *Proc.*, 234.
- Miller, A. K. See also Armstrong.
- Miller, H. O., preparation of canarine, 186.
- Miller, W. v., and F. Kinkelin, paraquinaldine- α -acrylic acid, 264.
- — — quinoline-derivatives, 560.
- — — reduction of metanitro- α -methylcinnamaldehyde, 701, 799.
- Miller, W. v., and J. Spady, quino-line- α -acrylic acid, 265.
- — — quinoline aldehyde, 370.
- Miller, W. v. See also Doeblner.
- Millot, A., electrolysis of aqueous ammonia with carbon electrodes, 979.
- Mills, E. J., chemical formula for wool keratine, *Proc.*, 147.
- Mills, E. J., and J. Muter, bromine absorptions, 119.
- Möhlau, R., action of concentrated hydrochloric acid on nitrosodimethyl-aniline, 941.
- — — colouring properties of benzidine azo-dyes, 947.
- — — indophenol and indoaniline, 146.
- — — nitrosophenol hypochlorite, 453.
- — — synthesis of acridine, 1033.
- Mörner, C. T., nutritive value of edible fungi, 1053.
- Mohr, C., precipitation of phosphoric acid as ammonium magnesium phosphate in presence of ammonium citrate, 834.
- Mohr, P. See Willgerodt.
- Moissan, H., action of red-hot platinum on phosphorus fluorides, 592.
- — — electrolysis of hydrogen fluoride, 849, 976.
- — — phosphorus oxyfluoride, 767.
- — — phosphorus pentafluoride, 303.
- Molisch, H., new sugar reactions, 923.
- — — distinguishing animal from vegetable fibre, 1088.
- Moore, T., quantitative chemical analysis by electrolysis, 921.
- Morawski, T., and H. Demski, examination of oils containing unsaponifiable fats, 103.
- Morawski, T. See also Demski, Stengl.
- Morax, V., ethereal hydrogen sulphates in urine, 729.
- Mordagne, J., *Adonis vernalis*, 94.
- Moritz, J., inversion of cane-sugar in sparkling wines, 608.
- Morley, E. W., quantity of moisture remaining in a gas dried by sulphuric acid, 278.
- Morrison, R. M. See Gibson.
- Morrison, W., albertite from Strathpeffer, Ross-shire, 311.
- Moser, J., electrical properties of salt solutions, 4.
- — — electric and thermic properties of salt solutions, 925.
- Moses, W. E. See Noyes.
- Müller, A., action of ethyl acetoacetate on hydrazobenzene, 899.
- — — self purification of polluted waters, 399.
- — — urinary fermentation, 276.
- Müller, F., albuminoid substance in urine, 87.
- Müller, F. C. G., lecture experiments, 976.
- Müller, G., carboxylic acids of benzenylanilinoxime, 802.
- Müller, H., benzenylanilinoxime, 875.
- — — ratio of starch to sugar in tobacco leaves, 904.
- Müller, P. F. See Claus.
- Müller-Erbach, W., dissociation of salts containing water, 10.
- — — influence of moisture on the oxidation of hydrogen, 199.
- Münchmeyer, F., action of hydroxylamine on diketones, 877.
- — — the hydroxylamine reaction, 350.
- — — See also Meyer.
- Muencke, R., high pressure digestors, 112.
- Müntz, A., constituents of milk-sugar in plants, 643.
- — — existence of the elements of milk-sugar in plants, 575.
- — — formation of beds of sodium nitrate, 210.
- Müntz, A., and E. Aubin, analysis of air from Cape Horn, 418.
- Muhlert, F., diethylthiophen, 535.
- — — methylthiophensulphonic acid, 787.
- — — γ -thiophenic acid, 229.
- Mulder, E., additive compounds of normal ethyl cyanurate and cyanogen bromide, 38.
- — — cyanogen bromide, 38.
- — — normal cyanuric acid derivatives, 38, 860.
- — — rate of decomposition of ozone, 9.
- — — reaction of cyanogen bromide with ethyl alcohol, 859.
- — — polymerisation of cyanogen bromide, 859.
- Muller, A., decomposition of the amines of the fatty series, 783.
- — — heat of combustion of amines, 409.
- Munro, J. M. H., composition of Bokhara clover (*Melilotus leucantha*), 828.
- — — composition of goat's rue (*Galega officinalis*), 829.

- Munro, J. M. H., composition of spurrey (*Spergula arvensis*), 173.
 — embolite from Australia, 430.
 — formation and destruction of nitrates and nitrites in artificial solutions in river and well-waters, TRANS., 632.
 — potassium chloride as a plant poison, 389.
 Muter, J. See Mills.
 Mutschler, L. See Hilger.
 Mylius, F., alcoholates of conchicine, 900.
 — cholic acid, 480, 952.
 — quinol and formic acid, 706.
 — relations of α - to β -hydrojuglone, 69.

N.

- Naef, P., action in sulphuric acid chambers, 400.
 Nantier, A., influence of superphosphates on the production of sugar, 832.
 Nasini, R. See Paternò.
 Natanson, E. and L., dissociation of nitrogen peroxide, 657.
 Naumann, A., and C. Pistor, behaviour of carbonic anhydride with hydrogen at a high temperature, 16.
 — reaction between carbonic oxide and steam, 120.
 Nef, J. U., derivatives of durene, 64.
 — derivatives of durylic acid, 241.
 — quinonetetracarboxylic acid, 550.
 Nef, J. U. See Königs.
 Nencki, M., and N. Sieber, venous hæmoglobin crystals, 374, 482.
 Nencki, M. See also Lesnik.
 Neubert, A., derivatives of phenethylamine, 873.
 Neuhöffer, G., detection of thiosulphates in water, 99.
 Neumann, G., apparatus to extract solutions with liquids, 198.
 — double salts of ferric with other metallic chlorides, 124.
 — nitrophenyl benzoate and nitrobenzoates, &c., 350, 939.
 Newbury, S. B., so-called silver subchloride, 770.
 Nicati, W., and Rietsch, poisonous products of the cultivation of the *Comma bacillus*, 169.
 Nichols, E. L., chemical behaviour of iron in the magnetic field, 668.
 Nichols, W. R., and C. R. Allen, sewage, 1072.
 Nickels, B., estimation of light hydrocarbons and non-nitrifiable substances in benzene, 394.
 Nicol, W. W. J., saturation of salt solutions, 763.
 — supersaturation of salt solutions, 300.
 — theory of solution, 300.
 — water of crystallisation, 972, TRANS., 690.
 Nicolaysen, C. See Claus.
 Niementowski, S., anhydro-compounds, 544.
 Niemilowicz, L., analogues of choline, 933.
 Nietzki, R., preparation of quinone and quinol, 790.
 Nietzki, R., and T. Benckiser, croconic and leuconic acids, 449, 540.
 Nietzki, R. and O. Goll, azo-compounds of naphthalene, 714.
 — azonaphthalene and its derivatives, 245.
 Nietzki, R., and J. Preusser, amido-derivatives of quinone and quinol, 1024.
 Nikolaieff, P., analyses of garnet and analcime, 601.
 Nikolaieff, P. D. See also Jerméeff.
 Nikolsky, V. See Albitzky.
 Nikolukine, T., lead tetrachloride, 123.
 Nilson, L. F., and G. Pettersson, determining vapour-densities, 298.
 Nitsche, F., detection of hydrocarbons in fat and oils, 395.
 Noack, K., fluidity of acetic acid, 971.
 — simple burner for monochromatic light, 14.
 Noah, E., pentahydroxyanthraquinone and anthrachrysone, 556.
 — synthesis of xanthopurpurin and purpurin, 475.
 Nobbe, F., Jensen's method of protecting potatoes from disease, 1067.
 Nölting, E., constitution of the phthalic acids, 67.
 — α -iodonaphthalene, 362.
 — nitration of benzyl chloride, 344.
 — nitration of dimethylaniline, 543.
 — trinitrometacresol, 345.
 Nölting, E., and S. Forel, amidoazo-derivatives of the three xlenols, 58.
 — the six isomeric xylienes, 58.
 Nölting, E., and C. Geissmann, nitro-derivatives of paraxylene, 344.
 Nölting, E., and O. Kohn, iso- and tere-phthalophenones, 349.
 — xylienesulphonic acids, 355.
 Nölting, E., and T. Stricker, mono- and di-alkyl-derivatives of metadiamines, 543.

- Nölting, E., and Weingartner, identity of isorcinol and cresorcinol, 346.
 Nölting, E., O. Will, and S. Forel, paraxylidine, 57.
 Noerdlinger, H., bicuhyba fat, 139.
 — oxidation of myristic acid, 867.
 Nötzi, F., investigation of tannins, 496.
 Nordenskiöld, N. v., liquid inclusions in Brazilian topaz, 674.
 North, W., influence of bodily labour on the discharge of nitrogen, 569.
 Norton, L. M., and C. W. Andrews, action of heat on liquid paraffins, 604.
 Nourisson, C., anisophthaloylic acid, 1029.
 Noyes, W. A., oxidation of benzene-derivatives with potassium ferricyanide, 142, 804.
 — paranitrobenzoic sulphinate, 803.
 Noyes, W. A., and W. E. Moses, oxidation of metanitrotoluene, 143.
 Noyes, W. A., and C. Walker, oxidation of metabromotoluene, 788.

O.

- Obrembsky, M. See Perkin.
 Ochsenius, C., blue rock salt, 515.
 Oebbeke, K., microcline and muscovite from Forst in the Tyrol, 518.
 Ogialoro, A., methylatropic acid, 468.
 Olberg, G. See Elbs.
 Oliveri, V., chromium oxyfluoride, 983.
 — supposed ptomaines of cholera, 1049.
 Olivieri, V. See Leone.
 Olzewski, K., liquefaction and solidification of hydrogen compounds, 977.
 Oppenheimer, H., action of ammonia on terephthalaldehyde, 547.
 — action of potassium cyanide on terephthalaldehyde, 876.
 — condensation of terephthalaldehyde with hydrocarbons, 946.
 Ordonneau, C., composition of brandy from wine, 436.
 Orloff, D., hexyl glycerol, 681.
 — preparation of hexyl glycerol, 138.
 Osann, A. See Bernthsen.
 Osborne, T. B., quantitative estimation of niobium, 393.
 O'Shea, L. T., retention of lead salts by filter-paper, *Proc.*, 206.
 Osmond, F. See Witz.
 Ossipoff, J., volatile fatty acids present in commercial lupuline, 1077.
 Ostermayer, E., estimation of water

- of crystallisation in organic compounds, 96.
 Ostwald, W., electrical conductivity of bases, 585.
 — influence of the composition and constitution of acids on their electrical conductivity, 294.
 O'Sullivan, C., presence of raffinose in barley, *TRANS.*, 70.
 — sugar of some cereals and the germinated grain, *TRANS.*, 58.
 — on the sugars of some cereals of some germinated grain, *Proc.*, 142.
 Ott, A., relations of the phosphates in urine, 167.
 Otto, R., conditions necessary for the complete removal of arsenic from hydrochloric acid, 850.
 — decomposition of sulphobenzide and of sulphotoluide, 1031.
 — phenyl benzenesulphonate, 883.
 — sulphobenzide-metasulphonic acid, 1031.
 — sulphoneketones, 801.
 Otto, R., and H. Engelhardt, action of sulphinates on dihalogenated fatty acids, 883.
 Otto, R., and A. Rössing, ethyl phenylthiocarbonate, 692.
 — oxidation of aromatic sulphinic ethers, 710.
 — saponification of ethereal thiosulphinates, 711.
 — triethylsulphine bromide, 861.
 Oudemans, A. C., decomposition by heat of potassium chloro- and fluorochromates, 854.
 — specific gravity and index of refraction of ethyl ether, 437.
 Oudemans, A. C., jun., variation of specific rotatory power, 406.
 Oustinoff, D., β -dimethacrylic acid, 140.
 Ouvard, L. See Troost.

P.

- Paal, C., and C. W. T. Schneider, orthodimethylpyrrophenol and metadimethylpyrrobenzoic acid, 559.
 Paal, C. See also Kues, Lederer.
 Pabst, A., raspberry juice, 387.
 Padé, L. See Dubois.
 Pagnoul, relations between the density, richness in sugar, and purity of the juice of the sugar-beet, 915.
 Palm, R., separation of picrotoxin from its solutions, 284.
 Palmer, G. M. See Michael.

- Panaotovic, W., paramethylisatoic acid, 361.
- Papasogli, G. See Bartoli.
- Parnell, E. W., and J. Simpson, utilisation of alkali waste, 288.
- Parr, S. W., albuminoids of cow's milk, 272.
- Parr, S. W. See also Caldwell.
- Paschkis, H., fluorescent constituent of *Atropa belladonna*, 156, 577.
- Paternò, E., and R. Nasini, freezing points and molecular weights of organic substances in solution, 970.
- Pathe, K. See Kelbe.
- Patterson, L. G., fibrous bisilicate from Nelson Co., Virginia, 131.
- Paul, B. H., cocaine benzoate, 633.
- cocaine and its salts, 84.
- Pawlewski, B., action of phosphorus pentachloride on santonin, 157.
- Pebal, L., nickel carbide, 854.
- remarks on Popper's research on the decomposition of chlorine water by sunlight, 302.
- sodium ferrocyanide, 860.
- Pebal, L., and H. Jahn, specific heat of antimony and its compounds, 655.
- Pechmann, H. v. See Cornelius.
- Peligot, E., water from Uriage, Isère, 37.
- Pellet, H., and L. Biard, composition and properties of raffinose, 220.
- Pellizzari, G., derivatives of amido-benzoic acid, 548.
- phenylhydrazine derivatives, 1025.
- Penfield, S. L., analcime from Lake Superior, 318.
- brookite from Magnet Cove, Arkansas, 989.
- crystallised tiemannite and meta-cinnabarite, 314.
- Penfield, S. L., and D. N. Harper, herderite and beryl, 989.
- Penfield, S. L. See also Dana, Wells.
- Perger, H. v., action of ethyl acetate and acetonedicarboxylate on hydrazo-compounds, 898, 1046.
- Perkin, W. H., sen., constitution of undecylenic acid as indicated by its magnetic rotation. Magnetic rotation of mono- and di-allylacetic acid and of ethyl diallylmalonate, TRANS., 205.
- formation of acids from aldehydes by the action of anhydrides and salts, and formation of ketones from the compounds resulting from the union of anhydrides and salts, TRANS., 317.
- magnetic rotation of mixtures of water with fatty acids, alcohol, and sulphuric acid, TRANS., 777.
- Perkin, W. H., jun., action of trimethylene bromide on ethylic sod-acetoacetate, 689.
- condensation of formaldehyde with ethylmalonate, 691.
- orthophenylenediacrylic acid, 469.
- pentamethylenedicarboxylic acid, 225.
- tetramethylenedicarboxylic acid, 934.
- trimethylenedicarboxylic acid, 688.
- Perkin, W. H., jun., and G. Beilenot, paranitrobenzoylacetic acid and some of its derivatives, TRANS., 440.
- Perkin, W. H., jun., and A. Calman, benzoylacetic acid and its derivatives, TRANS., 154.
- Perkin, W. H., jun., and M. Obrembsky, α - δ -diacetyl adipic acid, 936.
- Perry, J. See Ayrton.
- Pesci, L., phellandrene, 1038.
- Petersen, J., enstatite and labradorite from the Cheviots, 211.
- Petrowitsch, M., does every wine contain tartar? 652.
- Pettersson, O. See Nilson.
- Peyrou, J., variations in the composition of the gases in leaves, 273.
- Pfaff, F., absolute hardness of minerals, 20.
- Pfeffer, intramolecular respiration, 170.
- Pfeiffer, E. W. R., electrical conductivity of alcohol, 4.
- electrical conductivity of mixtures of ethyl alcohol and ether, 115.
- Pfeiffer, G. See Hantzsch, Kelbe.
- Pfeiffer, T., the estimation of the nitrogen of products of metabolism, 1053.
- estimation of the products of metabolism in fæces, 571.
- Pfeiffer, T., and F. Lehmann, digestibility of fresh and dried beet residues, 1054.
- Kjeldahl's method of estimating nitrogen, 179.
- Pfitzinger, W., quinoline-derivatives from isatinic acid, 370.
- Pflüger, E., and P. Schenck, titration of urea by hypobromite after Hamburger's method, 396.
- Pfungst, A., action of nitromethane on some chlorhydrins, 862.
- Philip, M., action of orthotolidine on quinol and resorcinol, 941.
- Philip, M. See also Bamberger.
- Philips, B., triphenylarsine, 618.
- Phillips, H., valuation of calcium acetate, 747.
- Phillips, H. J., estimation of caustic

- and carbonated alkalis in presence of each other, 920.
- Piccard, J., cantharidin, 723.
- Piccini, A., detection of nitric in presence of nitrous acid, 740.
- double titanium fluorides, 670.
- Piccini, A., and F. M. Zuco, action of nitrites on ferrous salts, 418.
- Pick. See Ewer.
- Pickel, M., phenylhydrazine compounds, 545.
- Pickering, S. U., influence of temperature on the heat of chemical combination, *TRANS.*, 260.
- modifications of double sulphates, *TRANS.*, 1, 12.
- molecular weights of liquids and solids, 198.
- water of crystallisation, *TRANS.*, 411.
- Pickering, S. U. See also Aston.
- Pictet, A., α -phenylindole, 711.
- Pinner, A., action of ethyl acetoacetate on the amidines: pyrimidines, 45.
- tartronic acid, 48.
- Pistor, C. See Naumann.
- Pitschke, H. See Klinger.
- Piutti, A., action of phthalic anhydride on amido-phenols, 1026.
- a new asparagine, 870, 1013.
- fumaric and succinic derivatives of monamines, 792.
- α -naphthylphthalimide, 472.
- phthalyl-aspartic acid, 621.
- Pizzarello, A., decomposition of carbon compounds by the electric spark, 10.
- explosions of electrolytic gas and volatile carbon compounds, 762.
- Planta, A. v., composition of the pollen of the common pine, 91.
- nectar, 575.
- Planta, A. v. See also Schulze.
- Plöchl, J., orthonitroglycins and their reduction products, 351.
- quinoxalines, 722.
- Pöhl, A., biological and chemical properties of micro-organisms, 731.
- Poleck, T., mineral waters of Warmbrunn in Silesia, 997.
- saffrole, 697.
- Polis, A., aromatic silicon compounds, 618.
- estimation of silicon in organic compounds, 649.
- Pollacci, peroxides as oxidising agents, 507.
- Pollitzer, S., nutritive value of some digestion products of albumin, 377.
- Pollitzer, S., and N. Zuntz, nutritive value of albumin and flesh peptone, 901.
- Polonoffska, N., so-called ethyl carb-acetoacetate, 1011.
- Polstorff, K., conessine (wrightine), 901.
- oxydimorphine, 900.
- Polstorff, K., and J. Mensching, Mitscherlich's test for phosphorus, 919.
- Polstorff, K., and P. Schirmer, conessine (wrightine), 372.
- Ponomareff, J., constitution of cyanuric acid, 216.
- Popoff, S. A., some new diuretics, 485.
- Popper, A., atomic weight of antimony, 856.
- decomposition of chlorine-water in sunlight, 301.
- Portele, K., composition of maize, 274.
- Posewitz, T., occurrence of diamonds in Borneo, 674.
- Pospekhoff, V., azocumene, 458.
- Possetto. See Mazzari.
- Potilitzin, A., relation between the heat of formation and initial rate of formation of salts, 116.
- Power, F. B., fluorescent principle of *Hydrastis canadensis*, 1041.
- Praël, E., examination of commercial copaiba balsam, 284.
- Preusser, J. See Nietzki.
- Prillieux, E., employment of sulphate of copper and lime as a preventative of mildew, 737.
- Pringsheim, N., emission of oxygen by plants, 642.
- Prost, E., action of zinc on benzyl chloride, 1034.
- chloritoid containing manganese, 129.
- platinum salts, 987.
- Prunier, H., detection of albumin, 748.
- Przibytek, S., formation of furfuran and thiophen from the dioxide $C_4H_6O_3$, 449.
- Przibytek, S. See also Famintin.

Q.

- Quantin, reduction of calcium sulphate by anaërobic ferments, 573.
- Quincke, G., behaviour of dielectric fluids under strong electric charges, 959.

R.

- Rach, C., action of hydrocyanic acid on ethyl acetosuccinate, 1012.

- Rach. See also Bischoff.
 Racine, S., phthalaldehydic acid, 549.
 Rademaker, polygonic acid, 949.
 Raffelt, R., mineralogical notes from Bohemia, 31.
 Raimann, E., fat of cochineal, 441.
 Rammelsberg, C., Branchville mica, 129.
 — isomorphous silicates, 30.
 Rammelsberg, G., the scapolite, chabasite, and phillipsite groups, 318.
 Ramsay, W., presence of a reducing agent, probably hydrogen peroxide, in natural water, *PROC.*, 225.
 Ramsay, W., and S. Young, determination of boiling points, *PROC.*, 181.
 — do the statical and dynamical methods give identical results, 410.
 — evaporation and dissociation. IV, acetic acid, *TRANS.*, 790.
 — nature of liquids as shown by a study of the thermal properties of stable and dissociable bodies, *PROC.*, 226.
 — note on the vapour-densities of chloral ethyl alcoholate, *TRANS.*, 685.
 — so-called specific remission, 5.
 — statical and dynamical methods of estimating vapour-pressures, 965.
 — vapour-pressures of bromine and iodine and iodine monochloride, *TRANS.*, 453.
 — vapour-pressures of mercury, *TRANS.*, 37.
 Ramsay, W. See also Williams.
 Ransom, F. See Dunstan.
 Raoult, F. M., cryoscopy as a means determining molecular weights, 197.
 — extension of the law of solidification, 763.
 Raschen, J. See Japp.
 Raschig, F., action of hydrogen peroxide on antimony sulphide, 20.
 — Berthollet's explosive silver, 850.
 — iodide of nitrogen, 16.
 — organic iodides of nitrogen, 44.
 — reduction of chloropicrin and dinitrochloromethane, 323.
 Rath, G. v., meteorites in the public collections of Mexico, 133.
 — quartz from Burke Co., North Carolina, 27.
 Rath, v. G. See Genth.
 Rathke, B., compounds of perchloromethylmercaptan with aromatic amines, 458.
 — constitution of dicyandiamide and melamine, 217.
 Rathke, B., preparation of methyl-violet, 460.
 Ray, F. O., leaves of *Æsculus hippocastanum*, and of *Acer dasycarpum*, 1065.
 Readman, T. B., chemical composition of the cobalt and nickel ores of Caledonia, 320.
 Rebuffat, O., condensation of hippuric acid with aldehydes, 547.
 Recoura, A., chromic chlorides: molecular state of chromic oxide, 597.
 — conversion of chromous into chromic chloride, 669.
 — isomeric modifications of chromic chloride, 508.
 Rée, A., constitution of monochlorophthalic acid, 353.
 — β -sulphophthalic acid, *TRANS.*, 510.
 Rée, A. See also Graebe.
 Reed, J. H., dimethylnaphthaquinoline, 370.
 — β -naphthacridine, 1037.
 Reese, A. See Michaelis.
 Regnard, P., action of chlorophyll on carbonic anhydride, 254.
 Reich, F., and T. Richter, determination of arsenic, 1073.
 Reicher, L. T., velocity of saponification, 416.
 Reinhardt, C., melting points of fats, 495.
 — permanent potassium iodide and starch solution, 486.
 Reis, M. A. v., behaviour of Thomas slag with water charged with carbonic anhydride, 663.
 — simplification of the molybdate method for determining phosphorus, 835.
 Reissert, A., action of aniline on dibromosuccinic acid, 791.
 Reissert, A., and F. Tiemann, condensation products from β -anilidoacids, 551.
 Remy, A. See Lellmann.
 Renard, A., electrolysis of salts, 115, 407.
 — propionic acid, 1007.
 Renard, A., and C. Klement, crocydolite and fibrous quartz from the Cape, 603.
 Rennie, E. H., parabenzyphenol and its derivatives: an isomeric benzyphenol, *TRANS.*, 406.
 — glycyphyllin, the sweet principle of *Smilax glycyphylla*, *TRANS.*, 857.
 Retgers, J. W., minerals from the Krakatoa ashes, 602.
 Reusch, H., the Tysons meteorite, 927.
 Ricciardi, L., products of the eruption of Mount Etna, 1886, 857.

- Ricciardi, L., volcanic rocks of Assab, 993.
- Richardson, A., vapour-pressures of alcohols and organic acids, *TRANS.*, 761.
- Richardson, C., and C. A. Cramp-ton, composition of the wheat germ, 734.
- Richet, C., physiological action of lithium, potassium, and rubidium salts, 88.
- physiological action of rubidium salts, 88.
- toxic action of alkaline salts, 385.
- Richter, L., two paratoluidine disul-phonic acids, 151.
- Richter, V. v., action of chromyl chloride on nitrotoluene, 694.
- so-called critical pressure of solid substances, 656.
- Richter, V. v. See also Courant, Gallinek.
- Richter, T. See Rideal.
- Rickmann, J. P. See Thompson.
- Rideal, S., action of ammonia on chromyl chloride, *TRANS.*, 367.
- blue colouring matter of decaying wood, 810.
- isodimorphism, 503.
- Riedel. See Claus.
- Riehm, P. See Engler, Levin.
- Rietsch. See Nicati.
- Riggs, R. B., the Grand Rapids meteorite, 321.
- Rindell, A., and F. Hannin, nitrogen determination by Kjeldahl's method, 648.
- Ris, A. See Merz.
- Ris, C., behaviour of β -dinaphthyl-amine, 947.
- phenazine, 1024.
- thio- β -dinaphthylamine, 1036.
- Rischbiet, P., and B. Tollens, raffinose or melitose from molasses, cot-ton seeds, and eucalyptus manna, 138.
- Rivière, C. See Chappuis.
- Roberts, W. C., assay of nickel coins, 101.
- Rodatz, P. See Stohmann.
- Römer, A., influence of mass on the chlorination of combustible gases, 845.
- Römer, M. See Gattermann.
- Römig, E. See Anshütz.
- Röse, detection of salicylic acid in beer and wine, 924.
- Rössing, A., inner condensations, 65.
- symmetrical diphenyl glyceryl ether, 345.
- Rössing, A. See also Otto.
- Rohrbach, E. M., minerals from the eruptive rocks of the cretaceous for-mation of Silesia and Moravia, 928.
- Roland, L. See Spring.
- Romburgh, P. v., nitro-derivatives of substituted benzamides, 546.
- reaction of primary and secondary amines, 455.
- Romegialli, A., acetous fermentation, 732.
- Romm, G., euonymin, 72.
- Roozeboom, H. W. B., dissociation of the compound of hydrogen bromide with ammonia, 500.
- dissociation of the hydrate of hydrogen bromide, 117, 414.
- dissociation of the hydrates of sul-phurous anhydride, chlorine, and bromine, 117.
- dissociation of liquids, 499.
- solubility of chlorine in chromium oxychloride, 500.
- solubility of hydrogen bromide at different temperatures and pressures, 119.
- solubility of nitric oxide in bromine, 501.
- Rosa, A., ferrous ammonium sulphate as a reagent for nitric acid, 99.
- Rosenberg, J., anhydrides of aromatic sulphonic acids, 551.
- derivatives of brominated thiophens, 228.
- trichlorothiophen and its deriva-tives, 534.
- Rosenblatt, T., action of potassium thiocarbonate on nickel and cobalt salts, 492.
- Rosenfeld, M., lecture experiments, 848.
- Rosenhek, J. See Erlenmeyer.
- Rosenthal, C., detection of hæmo-globin in urine, 956.
- Rosenthal, G., preparation of alumina, 108.
- Rosenthal, T., β -sulphopropionic acid, 866.
- Roser, W., camphor group, 249.
- phthalyl-derivatives, 243.
- Roser, W. See also Howard.
- Rospendowski, isomeric naphthyl phenyl ketones, 625.
- Roth, C. F., apparatus for determining melting points, 1070.
- pyridine condensation, 477.
- Roth, C. F., and O. Lange, 2 : 6 di-methylpyridine and the corresponding carboxylic acid, 558.
- Roth, S., trachytes of the Eperies-Tokay mountains, 131.
- Roubtsoff, action of ammonia on succinimide, 141.
- Roudinskaia, Miss, action of ammonia on parabanic acid, 141.
- Rougemont, W. See Beckurts.

- Rousseau, G., formation and dissociation of barium and strontium manganites, 507.
 — manganites of the alkaline earths, 425.
 — sodium manganite, 982.
 Roux, L., action of aluminium chloride on α -naphthalene compounds, 806.
 Roux, L. See also Barbier.
 Rowell, W. A., preparation of chromic acid, 108.
 Rubner, M., formation of fat from carbohydrates in carnivorous animals, 482.
 Rügheimer, L., action of phosphoric chloride on hippuric acid, 702.
 — formation of quinoline-derivatives, 161.
 Rügheimer, L., and R. Hoffmann, isomeric malontoluidic acids, 147.
 — toluquinolines substituted in the pyridine-ring, 159.
 Ruttan, R. F., trimethyldiethylamido-benzene, TRANS., 813.
 Ryder, J. P. See Michael.
- S.**
- Sabaneieff, A., action of sulphuric acid on oleic acid, 442.
 Sabatier, P., absorption spectra of chromic acid and alkaline chromates, 838.
 — division of a base between two acids, 973.
 — thermochemistry of the chromates, 962.
 Sachs, O., compounds from diazophenols and β -naphthylamine, 235.
 Sadler, B. See Headden.
 Sängner, A., formation of hypophosphoric acid and its ethereal salts, 419.
 Saglier, A., new cuprammonium iodide, 851.
 Salkowski, E., aromatic substances in the animal organism, 730.
 — estimation of sulphuric acid and ethereal hydrogen sulphates in urine, 739.
 — Hüfner's method of estimating urea, 396.
 — Neubauer's method of estimating creatinine in urine, 397.
 — new methods of detecting oxalic acid in urine, 395.
 — poison of *Mytilus edulis*, 568.
 — separation of phenylacetic and phenylpropionic acids, 351.
 Salomon, G., paraxanthine and heteroxanthine, 266.
 Salzer, T., ammonium calcium ferrocyanide, 860.
 — hypophosphoric acid, 420.
 — method for preparing pentathionic acid, 850.
 Sandberger, F., manganese apatite from Saxony, 432.
 — minerals from Chile and Bolivia, 431.
 — zircon in stratified rocks, 24.
 Sanderson, B., chemical products of putrefaction, 112.
 Sandmeyer, T., derivatives of carbonic anhydride, 611.
 — ethyl and methyl hypochlorites, 607.
 Sanger, C. R. See Hill.
 Sansoni, F., crystal forms of the Andreasberg calcite, 209.
 Sarasin, E., refractive indices of fluor-spar, 22.
 Sarrau, E., characteristic equation of carbonic anhydride, 203.
 Sartig, J., orthamidometaxylene-sulphonic acid, 153.
 Sattig, dried beer grains as horse fodder, 1066.
 Sauer, A., analysis of labradorite from Krakatoa ashes, 211.
 — minerals from Oberwiesenthal, 601.
 Saytzeff, A., oxidation of oleic and elaidic acids, 140.
 Saytzeff, A. See also Gortaloff, Tschebotareff.
 Seacchi, A., crystalline forms of potassium and ammonium hydrogen tartrates, 612.
 Seacchi, E., minerals from Vesuvius, 600.
 Schaal, E., preparation of acids from hydrocarbons, 290.
 Schacherl, G. See Gazzarolli-Thurnlackh.
 Schack and Schwarz, estimation of potassium chlorate in organic mixtures, 179.
 Schade, O., animal and vegetable pepsin, 271.
 Schär, E., action of hydrocyanic acid on seeds, 575.
 Shearer. See Giles.
 Scheibler, C., behaviour of the alkaline earths and their hydroxides towards dry carbonic anhydride, 927.
 — production of rich phosphate of lime in connection with an improvement of the Thomas process, 926.
 Scheidel, A., preparation of quinoxalines, 1046.
 — preparation of vanillin from the gum of the olive tree, 238.

- Schenck, F. See Pflüger.
- Schenek, S., and S. Farbaký, electric accumulators, 106.
- Scheufelen, A., iron compounds as carriers of bromine, 340.
- Scherbel, L. See Claus.
- Schiff, H., colour bases from furfuraldehyde, 612, 1013.
- gas regulator, 15.
- oxalamidobenzoic acid, 549.
- tartramido- and malamido-benzoic acids, 621.
- Schimper, A. F. W., formation and migration of carbonates in leaves, 826.
- Schirmer, P. See Polstorff.
- Schlagdenhauffen, F. See Heckel.
- Schleicher, E., isopropylthiophen, 534.
- ketones of the thiophen-group, 539.
- limited oxidation of ethylthiophen, 524.
- monobromothiophen and ethylthiophen, 227.
- Schleselman, J. See Carnelley.
- Schloesing, T., ammonia in soils, 831.
- estimation of ammonia in soils, 740, 1075.
- Schmid, J., fisetin, the colouring matter of fustet wood or young fustic, 894.
- Schmid, J. See also Lunge.
- Schmidt, C., minerals of the oolitic iron ore of the Windgällen, 780.
- Schmidt, E., angelic acid, 867.
- caffeine, 899.
- chelidonic acid, 869.
- jervic acid, 868.
- malic acid, 869.
- occurrence of vanillin in assafoetida, 906.
- zinc methylethylacetate, 867.
- Schmidt, E. See also Claus.
- Schmidt, H., titration of acid tungstates, 597.
- Schmidt, R. E. See Lunge.
- Schmitz, S., determination of nitrogen in coal and coke, 1071.
- Schmöger, M., experiments with the small Danish separator, 290.
- Schnapauff, E. See Jacobsen.
- Schneider, C. W. T. See Paal.
- Schöne, H., amyl thioclorocarbonate and its action on compounds containing nitrogen, 337.
- Schönemark, H., and others, manurial experiments with precipitated phosphates and Thomas slag, 1069.
- Schönfeld, F. See Anschütz.
- Scholvien, L., fulminic acid, 137.
- Schoop, P., manufacture of magenta, 290.
- Schoop, P. See also Loebisch.
- Schotten, C., bile acids, 565.
- Schramm, J., influence of light on the action of halogens on aromatic compounds, 451.
- Schrauf, A., dispersion equivalent of sulphur, 406.
- expansion coefficient of sulphur, 408.
- Schrewe, manuring potatoes, 578.
- Schroeder, glycyrrhizin in *Myrrhis odorata*, 172.
- Schröder, J., specific gravity of solutions of mercuric chloride, 412.
- Schröder, M. See Hanisch.
- Schubart, L. H., parabromobenzenylamidoxime, 797.
- Schubert, S. See Hönig.
- Schütze, R., waste water from starch factories, 1066.
- Schützenberger, P., gelatin, 818.
- proteids, 270.
- Schulhof, L. See Goldschmidt.
- Schulze, B., and E. Flechsig, formation of amides during the germination of seeds in the dark, 90.
- Schulze, B. See Weiske.
- Schulze, E., nitrogenous constituents of pumpkin sprouts, 173.
- quantitative estimation of nitrogen in plants, 955.
- Schulze, E., and E. Bosshard, amidoacids resulting from the decomposition of proteids, 373.
- a new nitrogenous constituent of plants, 157.
- presence of glutamine in sugar beet, 105.
- Schulze, E., and A. v. Planta, pollen of *Coryllus avellana* and *Pinus sylvestris*, 736.
- Schulze, E., and E. Steiger, new alkaloid from lupines, 725.
- Schulze, H., action of sulphurous acid on selenious acid, 302.
- Schulze, K. E., anthrapinacene, 248.
- 1 : 2 : 4 : 5 durene, 232.
- β -hydroxanthranole, 247.
- Schwarz, H., preparation of hydrogen and carbonic oxide, 660.
- Schwarz. See Schack.
- Schwarzenbach, and L. Kritchewsky, palladium-hydrogen as a reagent, 1071.
- Schweinitz, E. A. v., octylbenzene, 540.
- octylthiophen, 535.
- Schweitzer, H. See Claus.
- Schweitzer, W., ethylparaphenylene-diamine, 347.
- safranine, 348.
- Sée, G., sparteine sulphate, 273.

- Seegen, J., conversion of peptone by the liver, 382.
 — non-fermentable reducing substance in blood, 383.
 — presence of sugar in urine on a diet of cane-sugar, 383.
 — sugar in the blood with reference to nutrition, 383.
 Seidel, M., action of ethyl chlorocarbonate on phenyl- and diphenylthiocarbamide, 357.
 Seligmann, G., minerals from Switzerland, 126.
 Semmola, E., secondary electrolysis, 654.
 Semper, A. See Bernthsen.
 Senier, A., action of hexabromacetone on urea, TRANS., 693, 743.
 — contributions to the history of cyanuric chloride and cyanuric acid, TRANS., 311.
 Serrant, E., orthohydroxyphenylsulphonic acid, 707.
 — rosolene, 185.
 Seubert, K., action of potassium chlorate on chloral hydrate, 331.
 — analysis of gaseous halogenated hydrocarbons, 181.
 — decomposition of trichloroacetic acid, &c., by water, 332.
 Shalféeff, M., action of ammonia on hæmin, 165.
 Shaweross, H. T., new photographic copying paper, 106.
 Shepard, C. U., meteoric iron from Trinity Co., California, 320.
 — meteorite of Formablán, Jalisco, Mexico, 321.
 Shepherd, H. H. B., use of ammonium citrate in the analysis of precipitated phosphate, 579.
 Sheridan-Lea, A., a soluble urea-ferment from the *Torula ureæ*, 641.
 Shimidzu, T. See Divers.
 Sieber, N. See Nencki.
 Siemiradzki, J. v., anorthite rocks from St. Thomas, 993.
 Silber, P. See Ciamician.
 Simand, T., and B. Weiss, investigation of tannin extracts, 1084.
 Simpson, J. See Parnell.
 Sipöcz, L., rare minerals from Hungary, 312.
 Sivoloboff, mannitol dichlorhydrin, 681.
 Sivoloboff, A., determination of the boiling points of small quantities of liquids, 497.
 Sjögren, A., katapléite, 34.
 Sjögren, H., galena with octohedral cleavage from Wermland, 21.
 — opal from Nagasaki, Japan, 27.
 Sjögren, H., physical properties of graphite, 774.
 Skraup, Z. H., colour-reactions for determining the constitution of the pyridine-, quinoline-, and allied carboxylic acids, 898.
 — paraquinanisol, 79.
 Skraup, Z. H., and P. Brunner, constitution of quinoline-derivatives, 810.
 Smith, E. F., and W. S. Hoskinson, electrolysis of molybdenum solutions, 102.
 Smith, E. F., and E. B. Knerr, electrolytic estimations, 923.
 — substitution-products of salicylic acid, 704.
 Smith, E. G., pseudomorphs of limonite after iron pyrites, 992.
 Smith, F. S. See Austin.
 Smith, H. E. See Chittenden.
 Smith, M. H. See Williams.
 Smith, W., J. F. H. Coutts, and H. E. Brothers, the phenol constituents of blast-furnace tar, TRANS., 17.
 Smolka, A., new picrates, 453.
 Snape, H. L., aromatic cyanates and carbamates, TRANS., 254.
 Söderbaum, H. G., platoso-oxalic acid, 532.
 Sohneke, L., electrification of ice by water friction, 960.
 Sonnenschein, A., drying fats, 1083.
 Soret, C., crystallographical notices, 619.
 — monosymmetrical sodium alum, 595.
 Sorger, C. See La Coste.
 Sorokine, V., anilides of galactose and levulose, 683.
 — anilides of glucoses, 526.
 — lactic acid from levulose, 141.
 Sostegni, L., rice starch, 221.
 Spady, J., quinoline-derivatives from isovaleraldehyde, 263.
 Spady, J. See also v. Miller.
 Spica, G., and C. Biscaro, *Arum italicum*, 94.
 Spica, M., action of thiobenzamide on chloral, 1026.
 Spindler, H., action of inorganic iodides on organic chlorides and bromides, 434.
 Spitzer, J., estimation of undissolved starch in sweet mash, 746.
 Spöhr, J., influence of neutral salts and of temperature on the inversion of cane-sugar, 502.
 — modification of Siemens' pyrometer, 112.
 Spring, W., specific heat of alloys of lead and tin, 961.

- Spring, W., and E. Bourgeois, formation of sulphuric acid in the preparation of dithionic acid, 978.
- Spring, W., and A. Lecranier, halogen compounds of sulphur, 977.
- Spring, W., and L. Roland, amount of carbonic anhydride in the air, 504.
- Squibb, E. R., preparation of cocaine, 371.
- Staedel, W., metacresol, 232.
- preparation of phenylacetic acid, 945.
- removal of methyl from tertiary aromatic amines, 940.
- Staedel, W., and H. Bauer, azo-compounds, 943.
- introduction of methyl into metanitriline, 940.
- Staedel, W., and O. Hölz, commercial xylidine, 145.
- Stallard, G., monobromophthalic acids, *TRANS.*, 187.
- Starkl, G., copaline from Hütteldorf, near Vienna, 21.
- minerals from the mica diorite of Christianberg, Bohemia, 32.
- pycnophyllite from Aspang, 32.
- Stas, J. S., purification of bromine, 592.
- Steiger, E., carbohydrate from the seed of *Lupinus luteus*, 638.
- Steiger, E. See also Schulze.
- Stein, H. See Kelbe.
- Steinbrügge, diagnosis of keratin in animal tissues, 106.
- Steincke, G. See Elbs.
- Steiner, A. See Billeter.
- Stegeltz, P. See Claus.
- Stelwag, A., composition of barley fat, 1065.
- Stephens, C. W., determination of milk-sugar in milk, 582.
- Stern, A. L., action of bromine on phosphorus trichloride, *TRANS.*, 815.
- Sternberg, A., preparation of ferrocyanides, 110.
- Sternberg and C. Heyer, obtaining sugar from molasses, 403.
- Stickel, C. See Lellmann.
- Stingl, J., and T. Morawski, the soja bean, 829.
- Stocklase, J., weathering of sandstone, 35.
- Stoehr, C., strychnine-sulphonic acid, 269.
- Stohmann, F., combustion of benzene, 842.
- heat equivalent of the hydroxyl-groups in the hydroxybenzenes, 656.
- thermochemical relations of the acids and alcohols of the fatty series, 295.
- Stohmann, F., and P. Rodatz, heats of combustion of the fatty acids, 296.
- Stohmann, F., P. Rodatz, and H. Herzberg, heat of combustion of benzene, 409.
- — — heat equivalent of hydroxybenzenes, 655.
- Stohmann, F. See also Henneberg.
- Stokes, A. W., and R. Bodmer, determination of mixtures of milk- and cane-sugar, 582.
- Stolte, H., selenio-carbon compounds, 781.
- Stolz, F., iodopropargylic acid, 530.
- Storch, L., action of ammonium salts on glycerol, 1044.
- Stracciati, E. See Bartoli.
- Strache, H. See Weidel.
- Strassburger, experiments on grafting between plants of different species, 645.
- Streatfield, F. W. See Armstrong, Meldola.
- Streng, A., microchemical reactions, 487.
- Stricker, T. See Nölting.
- Striegler, M., melanurenic acid, 435.
- Strohecker, J. R., cerium, yttrium, and beryllium oxides, and ammonium chloride in diluvial clays, 314.
- oxides of cerium in practical use, 424.
- Strohmer, F., detection of colouring matters in wine and confectionery, 183.
- Strohmer. See Holdefleiss.
- Strommenger, W., oxidation of acetophenone, 462.
- Stuart, C. M., action of cinnamic and salicylic aldehydes on malonic acid, *TRANS.*, 365.
- improved method of ventilating chemical laboratories, 15.
- relation of benzalmalonic acid to its mononitro-derivatives, *TRANS.*, 357.
- Stutzer, A., digestion of "saccharin," 379.
- proteid digestion, 377.
- Stutzer and Werner, feeding cows with "sections," 953.
- Süida, W. See Mauthner.
- Sutton, F. S., post mortem imbibition of arsenic, 89.
- Szabo, J. v., pharmacosiderite and urvölgite from a new locality, 517.
- Szilasi, J. See Grittner.
- Szymanski, F., allyl-sulphuric acid, 43.
- methylpropylpinacolone, 784.
- microchemical detection of albuminoids in seeds, 1038.

T.

- Tafel, J., γ -amidovaleric acid, 1008.
 — method for preparing primary amines, 939.
 Tammann, G., detection and estimation of fluorine, 97.
 Tanret, composition of the rind of the bitter orange, 576.
 Tappeiner, H., the formation of hippuric acid, 482.
 Teall, J. J. H., quartz-felsites and augite granites from the Cheviot district, 520.
 Teed, F. L., potassium chlorate, *Proc.*, 141.
 Tessmer, H., action of phenyl cyanate on polyhydric alcohols, 49.
 Thabuis, F., deposit from the spring at Chabetout, 215.
 Thierfelder, H., casein peptone, 1051.
 — formation of glycuronic acid during inanition, 572.
 Thierry. See de Thierry.
 Thompson, C. See Wright.
 Thompson, J. B., and J. P. Rickmann, bleaching vegetable fibres, 187.
 Thoms, H., acorin and its derivatives, 895.
 Thomsen, J., heat of combustion of benzene, 842.
 Thomsen, T., conditions of equilibrium in aqueous solution, 12.
 — equilibrium of aqueous solutions, existence of acid salts and double salts in aqueous solutions, 925.
 Thomson, A., phosphoric acid soluble in the soil, 392.
 Thorpe, T. E., and A. E. Tutton, phosphorus tetroxide, *Trans.*, 833.
 Threlfall, R., theory of explosions, 761.
 Thürach, A., zircon and titanium minerals, 126.
 Tiemann, F., dehydrodivanillin, 238.
 — glucosamine, 329.
 — glucoside allied to coniferin, 250.
 — reduction products of aromatic aldehydes, 460.
 — preparation of amidoximes, 875.
 — specific rotatory power and crystalline form of glucosamine, 329.
 — thiocoumarin and its derivatives, 880.
 Tiemann, F., and A. Fock, amidoximes and azoximes, 797.
 Tiemann, F., and R. Haarmann, isosaccharic acid, 689.
 Tiemann, F. See also Reissert.
 Tietze, E., turquoise from Nischapur, Persia, 25.
 Tilden, W. A., influence of temperature on the heat of dissolution of salts, 499.
 — sources of error in the calorimetric study of salts, *Proc.*, 198.
 Timiriazeff, C., chlorophyll, the reduction of carbonic anhydride by plants, 626.
 Töhl, A., consecutive orthoxylidine and orthoxyleneol, 57.
 Tölle, E. See Elbs.
 Tollens, B., formaldehyde, 1006.
 — melitose from eucalyptus manna, 527.
 — normal solutions and the retention of Mohr's system, 1070.
 Tollens, B. See also Block, Creydt, Hermann, Rischbiet, Wehmer, and Wellington.
 Tomlinson, C., decolorisation of iodide of starch by heating, 328.
 Tommasi, D., effluviography, 959.
 — electrolysis of some chemical compounds, 408.
 — law of thermal constants, 408.
 Tóth, J., determination of phenol in crude carboic acid, 744.
 Traube, H., analyses of diallage, labradorite, &c., 212.
 Traube, J., dependence of the size of drops on external influences, 844.
 — estimation of fusel oil, 743.
 — size of maximum drops of alcohols, &c., 844.
 — specific viscosity of organic liquids, 657.
 Traube, J. See also Bodländer.
 Traube, M., change of valency; combinations of molecules with atoms, 661.
 — constitution of hydrogen peroxide, 660.
 — oxygen molecular compounds, 661.
 Tribe, A. See Gladstone.
 Troost, L., and L. Ouvrard, thorium potassium and zirconium potassium sulphates, 853.
 Troschke, composition of white mustard during growth, 913.
 — German and American clover, 646.
 Trowbridge, J. See Hayes.
 Tschaplowitz, F., nourishment of fruit trees, 390.
 Tschebotareff, A., and A. Saytzeff, synthesis of ethyl dipropyl carbinol, 437.
 Tscheltzoff, heat of formation of picrates, 841.
 Turner, T., influence of remelting on the properties of cast iron, *Trans.*, 493.

Turner, T., influence of silicon on the properties of cast iron, *TRANS.*, 130.

Turner, T. See also Jordan.

Tutton, A. E. See Thorpe.

U.

Uffelmann, estimation of fusel oil in spirits, 1079.

Uffelmann, J., oxidation of ammonia in waters and soils, 917.

Ulbricht, R., researches on gourds, 95.

Ullrich, E., new blue for printing, 187.

Ulrich, M., new synthesis of vanillin, 60.

Unwin, W. C., relations of pressure, temperature, and volume in saturated vapours, 764.

Upward, W., estimation of caustic in causticised soda liquor, 1074.

Urech, F., birotation of some saccharoses and glucoses, 220.

— rudimentary formula of the rate of reactions, 846.

V.

Valentine, E. P., a decomposition product of allanite, 128.

Valeur, F. See La Coste.

Valle. See La Valle.

Van den Berghe, J., manner of applying artificial manures, 647.

Van der Plaats, J. D., physical properties of bromine, 849.

— vapour-tension of mercury at ordinary temperatures, 963.

Van Deventer, C. M. See van't Hoff.

Van Dorp, W. A. See Hoogewerf.

Van Hise, C. R., enlargement of horn-blende fragments, 318.

Vanni, A., naphthylaminephthaleïn, 68.

Van Nüys, T. C., apparatus for the estimation of carbonic anhydride in air, 835.

van't Hoff, H., jun., malic acids, 48.

van't Hoff, J. H., dissociation of the hydrate $\text{HBr} \cdot 2\text{H}_2\text{O}$, 501.

van't Hoff, J. H., and C. M. Van Deventer, transition temperature in chemical decomposition, 968.

Varenne, E., coagulation of albumin, 373.

Vaughan, V. C., ptomaine from poisonous cheese, 373.

Veley, V. H., sulphur compounds of barium, *TRANS.*, 369.

Venator, W., molybdenum residues, 124.

Venturini, V., methods of determination of morphine and opium, 1086.

Verneuil, A., action of chlorine on potassium seleniocyanate, 1002.

Vesterberg, A., pimaric acids, 365, 1038.

Vieille. See Berthelot.

Vieth, P., composition of the milk of shorthorns and other cows, 168.

— presence of matter soluble in ether in filter-paper, 1083.

Vignal, H., estimation of chromium, 580.

Villavecchia, V., derivatives of santonin, 73.

Villiers, A., pathological urine, 88.

Vincent, C., normal propylamines, 1004.

— reaction of dipropylamine, 1005.

— three new rhodium compounds, 311.

Vincent, C., and J. Chappuis, action of alcoholic chlorides on ammonia and the methylamines, 438.

— critical temperatures and pressures of vapours, 963.

Vogel, H. W., photography in natural colours, 749.

— relation between the absorption spectrum and sensitising action of dyes on silver bromide, 585, 958.

Voges, E., identity of Böttinger's pyridine-dicarboxylic acid with luti-dinic acid, 257.

Voigt, K., action of primary aromatic amines on benzoin, 887.

Volz. See Claus.

Vortmann, G., detection of traces of hydrocyanic acid, 1082.

— determination of chlorine in presence of bromine, 648.

— use of sodium thiosulphate in place of hydrogen sulphide in qualitative analysis, 1071.

Vulpinus, G., almond oil testing, 494.

— examination of ether, 1079.

W.

Wagner, A., test for adulteration in butter, 103.

Wagner, J., aromatic sulphonamic acids, 708.

Wagner, R., compounds of fluorides of

- heavy metals with alkaline fluorides, 670.
- Walder, F., benzyl-derivatives of hydroxylamine, 796.
- Walker, C. See Noyes.
- Wallach, O., terpenes and essential oils, 70.
- Walter, J., acridine, 1033.
- apparatus for chemical laboratories, 301.
- substitution of amidogen by means of sodamide, 1004.
- Wanklyn, J. A. See Fox.
- Warburg, biological significance of organic acids, 905.
- Warder, R. B., Eyster's scheme for qualitative analysis, 100.
- Warnecke, H., wrightine (conessine), 372.
- Warrington, A. W. See Meyer.
- Watts, F., essential oil of lime leaves, *Citrus limetta*, TRANS., 316.
- Weddige, A., polymeric trichloroacetonitrile, 323.
- Wehmer, C., and B. Tollens, formation of levulinic acid from various substances, 532.
- Weibull, M., goethite from Pitkäranta, in Finland, 24.
- halotrichite and epsomite from the Fahr mine, 25.
- igelstromite from Delarne, 33.
- minerals of Vester-Silfberg, 33.
- Swedish minerals, 928.
- Weidel, H., and F. Blau, pyridine-derivatives, 76.
- Weidel, H., and G. Glaser, diquinoline-derivatives, 949.
- Weidel, H., and J. Herzig, isocinchomeronic acid, 477.
- Weidel, H., and H. Strache, constitution of α -diquinoline, 950.
- Weil, F., volumetric estimation of sulphur in sulphides, 918.
- Weil, H., amidotrimethylbutyllactic acid, 1009.
- diacetoneamine, 528.
- Wein, feeding value of hop foliage, 577.
- Weingärtner. See Nölting.
- Weisbach, A., argyrodite, 774.
- Weisks, H., estimation of nitrogen in the milk and urine of herbivora, 1072.
- quantitative separation of albumin from peptones, 1087.
- Weiske, H., B. Schulze, and E. Flechsig, does cellulose economise the decomposition of proteid in the nutrition of herbivora? 728.
- Weiske, H., and others, digestibility and feeding value of cotton cake and meal, 272.
- Weiss, B. See Simand.
- Weiss, E., carbonates from the coal measures, 775.
- Weiss, G., estimation of iodine, 97.
- Weiss, L., synthesis of isocinchomeronic acid, 719.
- Weiss, L. See also Hantzsch.
- Weith, W. See Merz.
- Welch, C., embolite, 988.
- Wellington, C., and B. Tollens, derivatives of formaldehyde, 330.
- — hydrogen sulphates of aromatic amines, 347.
- Wells, H. L., and S. L. Penfield, gerhardtite and artificial basic copper sulphates, 315.
- Wense, W., compounds of guanidine and diketones, 556.
- Wenz, J., intestinal digestion of albumin, 376.
- Wenzlik, C. See Claus.
- Werner, feeding sheep with raw sugar, 569.
- Werner. See Stutzer.
- Werner, E., aromatic bromo-substitution compounds, 1015.
- Werner, E. A., detection and estimation of thallium in presence of lead, 490.
- Wesendonck, K., fluorescence of naphthalene-red, 585.
- White, T. P., action of tin on the animal organism, 1058.
- Whiteley, R. L., chemical formula for wool keratine, PROC., 142.
- Wiborgh, J., colorimetric estimation of sulphur in iron, 743.
- Wichelhaus, H., bases of methyl-violet and magenta, 362.
- Wichmann, H., corundum in graphite, 23.
- Wickel, E., crystallography of some organic compounds, 234.
- Widmann, O., intermolecular changes in the propyl-group, 464.
- metanitrocumenylacrylic acid, 467.
- ortho-derivatives of cumenylacrylic acid, 464.
- oxidation product of orthonitrocumenylacrylic acid, 466.
- the propyl-group in the cumyl and cymene series, 453.
- the propyl-group in thymol, 470.
- Widman, O., and J. A. Bladin, oxidation of cymene: so-called nitrocymene, 541.
- Wiechert, E., electric conductivity of serpentine, 113.
- Wiley, H. W., estimation of acetic acid, 582.
- koumiss, 782.

- Wiley, H. W., maple sugar industry in the United States, 289.
- Wiley, H. W., and F. V. Broadbent, estimation of water in glucose, honey, &c., 282.
- Wilhelm, germinative power of seeds after exclusion of air, and drying at high temperatures, 171.
- Will, W., a constituent of the root of *Pæonia moutan*, 906.
- Will, W., and P. Beck, derivatives of umbelliferone, 880.
- Will, W., and H. Leymann, the colouring matter of cochineal, 252.
- Willgerodt, C., aromatic iodochlorides, 341.
- benzene containing thiophen, 692.
- estimation of chlorine, bromine, iodine, cyanogen, ferrocyanogen, and ferricyanogen by Field's method, 833.
- tetrachlorothiophen tetrachloride, 339.
- Willgerodt, C., and M. Ferko, preparation of mononitroanisols and mononitrophenols by Kolbe's method, 345.
- Willgerodt, C., and P. Mohr, orthoparadinitrobenzenesulphonic acid, 1030.
- Williams, G., action of zinc-dust on zinc hydroxide, 204.
- source of hydrogen occluded by zinc-dust, 15.
- Williams, G. H., amphibole-anthophyllite from Baltimore, 128.
- cleavage in American sphene, 317.
- hornblende from St. Lawrence, New York, 128.
- peridotes near Peekskill, New York, 432.
- Williams, J., and M. H. Smith, preparation of amyl nitrite, 327.
- Williams, Miss K. J., and W. Ramsay, estimation of free oxygen in water, *TRANS.*, 751.
- supposed existence of an allotropic modification of nitrogen, *PROC.*, 223.
- Williams, W. C., reactions supposed to yield nitroxyl or nityl chloride, *TRANS.*, 222.
- Williamson, S. See Armstrong.
- Williamson, W., hopeine, 724.
- Willm, E., waters at Bagnères de Luchon, 997.
- Wilm, T., alkali platinocyanides, 604.
- analysis of native platinum, 181.
- halogen additive compounds of potassium platinocyanide, 605.
- Wilsing, H., amount of volatile acid in the excrements of ruminants, 87.
- Wilson, D., comparative yield and composition of turnips grown with different manures, 913.
- Wilson, D., composition, nutritive value, and produce of the permanent grasses, 906.
- Wilson, W. H. See Japp.
- Wing, J. F. See Jackson.
- Wing, J. F. See Michael.
- Wingard, F. C. v., chondrodite and humites, 29.
- Winkelmann, A., diffusion of fatty alcohols and acids, 11.
- lecture experiment on gaseous diffusion, 591.
- Winkler, C., apparatus for the reduction of gas volumes, 96.
- germanium, 421, 985, and *PROC.*, 161, 197.
- new arrangement of the volumetric system, 96.
- Winther, H. See Herzfeld.
- Wislicenus, W., action of potassium cyanide on lactones, 879.
- Witt, O. N., constitution of naphthionic acid and congo-red, 889.
- dinitronaphthylamine, 947.
- dyes obtainable from the tannins and their derivatives, 403.
- eurhodines, a new class of colouring matters, 473, and *TRANS.*, 391.
- filtering apparatus, 592.
- isomeric α -naphthylaminesulphonic acids, 364, 554.
- preparation of azo-derivatives, 145.
- separation of xylidines, 699.
- Witt, O. N. See also Nöling.
- Witz, G., and F. Osmond, detection and estimation of vanadium with oxycellulose, 923.
- Wohl, A., compounds of hexamethylenamine with alkyl iodides, 863.
- Wolfbauer, J. F. See Höhnel.
- Wolfenden, R. N., snake poison, 1057.
- Wolff, H., phenylallenylamidoxime, 798.
- Wolkoff and Bougaieff, decomposition of butylene and amylene hydrates by heat, 137.
- Wollny, E., carbonic anhydride in the atmosphere, 594.
- Wood, E. F., modified molybdate method for estimating phosphorus in steel, 280.
- Wooldridge, L. C., intravascular clotting, 821.
- Wrampelmeyer, E. See Gattermann.
- Wright, C. R. A., and C. Thompson, estimation of resin in soaps, *PROC.*, 175.
- Wroblewsky, E., consecutive xylidines, 145.

- Wroblewski, S. v., density of liquefied air and its constituents; atomic volume of oxygen, 661.
 — liquid atmospheric air, 8.
 — pressure curves of fluids at their critical points, 964.
 Wülfing, A., separation of the toluidines, 1021.
 Wülfing, E. A., mica from the Rheinwaldhorn Graubünden, 991.
 Wulff, L., do crystals grow only by juxtaposition of new molecules? 9.
 Wunderlich, A., carbamine cyanamide, 435.
 Wynne, W. P. See Armstrong, Japp.
 Wyrouboff, G., dimorphism of hydrogen potassium sulphate, 665.
 — optical phenomena of lead dithionate, 958.
 — sodium ammonium and sodium potassium racemates, 533.
 — sodium potassium racemate, 445.

Y.

- Yardley, H. B., alumina in superphosphate, 288.
 — Kjeldahl's method for the estimation of nitrogen, 282.
 Young, A. V. E., thermochemical analysis of the reaction between alum and potassium hydroxide, 589.
 Young, S. See Ramsay.
 Yvon, alteration of mercurous iodide by exposure to light, 17.

Z.

- Zaleski, S. S., presence of iron in the liver, 1054.

- Zatzek, E. See Hönig.
 Zega, A., and K. Buch, reaction of aniline with orcinol, 873.
 Zega, A. See also Hatschek.
 Zeisel, S., action of chlorine on crotonaldehyde, 1006.
 — estimation of methoxyl, 493, 1079.
 Zeisel, S. See also Lieben.
 Zenger, C. V., spectroscope for furnaces, &c., 190.
 Zepharovich, V. v., crystallography of some camphor-derivatives, 248.
 — orthoclase in geodes in basalt, 518.
 Zetsche, P., irregularities in the composition of metallic ingots, 108.
 Ziegeler, G. A., preparation of phosphoric acid, 201.
 Ziegenspeck, H., analysis of plagioclase and olivine from Chili, 214.
 Zillner, E., adipocere, 89.
 Zimmermann, C., atomic weights of cobalt and nickel, 596.
 — uranium, 598.
 Zimmermann, J. See Dennstedt.
 Zincke, T., constitution of the compounds obtained from β -naphthylamine and diazo-salts, 244.
 — orthamidazo-compounds, 236.
 Zincke, T., and A. T. Lawson, orthamidoazo- and hydrazimido-compounds, 795.
 Zingel, J., crystallographic examination of some organic compounds, 62.
 Zinoffsky, O., the hæmoglobin molecule, 165.
 Zott, A., relative permeability of various diaphragms, 414.
 Zuco, F. M. See Piccini.
 Zuntz, N., nutritive value of the so-called meat peptones, 378.
 Zuntz, N. See also Pollitzer.